

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC215294L3V

## Iduronate 2 sulfatase (IDS) (NM\_006123) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	Iduronate 2 sulfatase (IDS) (NM_006123) Human Tagged ORF Clone Lentiviral Particle
Symbol:	lduronate 2 sulfatase
Synonyms:	ID2S; MPS2; SIDS
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_006123
ORF Size:	1029 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC215294).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 006123.1</u>
RefSeq Size:	1314 bp
RefSeq ORF:	1032 bp
Locus ID:	3423
UniProt ID:	<u>P22304</u>
Cytogenetics:	Xq28
Domains:	Sulfatase
Protein Families:	Druggable Genome



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	duronate 2 sulfatase (IDS) (NM_006123) Human Tagged ORF Clone Lentiviral Particle – RC215294L3V	
Protein Pathwa	Glycosaminoglycan degradation, Lysosome, Metabolic pathways	
MW:	38.31 kDa	
Gene Summary:	This gene encodes a member of the sulfatase family of proteins. The encoded prepro is proteolytically processed to generate two polypeptide chains. This enzyme is invol- the lysosomal degradation of heparan sulfate and dermatan sulfate. Mutations in thi are associated with the X-linked lysosomal storage disease mucopolysaccharidosis ty also known as Hunter syndrome. Alternative splicing results in multiple transcript va- least one of which encodes a preproprotein that is proteolytically processed. [provide RefSeq, Jan 2016]	ved in is gene ype II, riants, at

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US