

Product datasheet for RC215336L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

BMP8B (NM_001720) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: BMP8B (NM_001720) Human Tagged ORF Clone Lentiviral Particle

Symbol: BMP8B

Synonyms: BMP8; OP2

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 001720

ORF Size: 1206 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC215336).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 001720.3</u>

RefSeq Size: 3773 bp
RefSeq ORF: 1209 bp
Locus ID: 656

UniProt ID: P34820

Cytogenetics: 1p34.2

Domains: TGFb_propeptide, TGF-beta



BMP8B (NM_001720) Human Tagged ORF Clone Lentiviral Particle - RC215336L1V

Protein Families: Adult stem cells, Cancer stem cells, Druggable Genome, Embryonic stem cells, ES Cell

Differentiation/IPS, Induced pluripotent stem cells, Secreted Protein, Stem cell relevant

signaling - TGFb/BMP signaling pathway

Protein Pathways: Hedgehog signaling pathway, TGF-beta signaling pathway

MW: 44.6 kDa

Gene Summary: This gene encodes a secreted ligand of the TGF-beta (transforming growth factor-beta)

superfamily of proteins. Ligands of this family bind various TGF-beta receptors leading to

recruitment and activation of SMAD family transcription factors that regulate gene

expression. The encoded preproprotein is proteolytically processed to generate each subunit of the disulfide-linked homodimer. The encoded protein stimulates thermogenesis in brown adipose tissue. Expression of this gene may be downregulated in pancreatic cancer. This gene

may have arose from a gene duplication event and its gene duplicate is also present on

chromosome 1. [provided by RefSeq, Jul 2016]