

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC215425L4V

NR2E3 (NM_014249) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	NR2E3 (NM_014249) Human Tagged ORF Clone Lentiviral Particle
Symbol:	NR2E3
Synonyms:	ESCS; PNR; rd7; RNR; RP37
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_014249
ORF Size:	1230 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC215425).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 014249.2</u>
RefSeq Size:	1999 bp
RefSeq ORF:	1233 bp
Locus ID:	10002
UniProt ID:	<u>Q9Y5X4</u>
Cytogenetics:	15q23
Protein Families:	Druggable Genome, Nuclear Hormone Receptor, Transcription Factors
MW:	44.5 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This protein is part of a large family of nuclear receptor transcription factors involved in
signaling pathways. Nuclear receptors have been shown to regulate pathways involved in
embryonic development, as well as in maintenance of proper cell function in adults.
Members of this family are characterized by discrete domains that function in DNA and
ligand binding. This gene encodes a retinal nuclear receptor that is a ligand-dependent
transcription factor. Defects in this gene are a cause of enhanced S cone syndrome.
Alternatively spliced transcript variants encoding different isoforms have been identified.
[provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US