

## Product datasheet for RC215477L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## SynCAM (CADM1) (NM\_014333) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** SynCAM (CADM1) (NM\_014333) Human Tagged ORF Clone Lentiviral Particle

Symbol: SynCAM

Synonyms: BL2; IGSF4; IGSF4A; Necl-2; NECL2; RA175; sgIGSF; ST17; sTSLC-1; SYNCAM; synCAM1; TSLC1

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_014333

ORF Size: 1326 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC215477).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 014333.2

 RefSeq Size:
 3512 bp

 RefSeq ORF:
 1329 bp

 Locus ID:
 23705

 UniProt ID:
 Q9BY67

 Cytogenetics:
 11q23.3

**Domains:** ig, IGc2, IG

**Protein Families:** Transmembrane






**Protein Pathways:** Cell adhesion molecules (CAMs)

MW: 48.3 kDa

Gene Summary: Mediates

Mediates homophilic cell-cell adhesion in a Ca(2+)-independent manner. Also mediates heterophilic cell-cell adhesion with CADM3 and NECTIN3 in a Ca(2+)-independent manner. Acts as a tumor suppressor in non-small-cell lung cancer (NSCLC) cells. Interaction with CRTAM promotes natural killer (NK) cell cytotoxicity and interferon-gamma (IFN-gamma) secretion by CD8+ cells in vitro as well as NK cell-mediated rejection of tumors expressing CADM3 in vivo. May contribute to the less invasive phenotypes of lepidic growth tumor cells. In mast cells, may mediate attachment to and promote communication with nerves. CADM1, together with MITF, is essential for development and survival of mast cells in vivo. Acts as a synaptic cell adhesion molecule and plays a role in the formation of dendritic spines and in synapse assembly (By similarity). May be involved in neuronal migration, axon growth, pathfinding, and fasciculation on the axons of differentiating neurons. May play diverse roles in the spermatogenesis including in the adhesion of spermatocytes and spermatids to Sertoli cells and for their normal differentiation into mature spermatozoa. [UniProtKB/Swiss-Prot Function]

## **Product images:**



[RC215477L3] was used to prepare Lentiviral particles using [TR30037] packaging kit. HEK293T cells were transduced with RC215477L3V particle to overexpress human CADM1-Myc-DDK fusion protein.