

Product datasheet for RC215497

ST8SIA4 (NM 175052) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: ST8SIA4 (NM_175052) Human Tagged ORF Clone

Tag:Myc-DDKSymbol:ST8SIA4

Synonyms: PST; PST1; SIAT8D; ST8SIA-IV

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC215497 representing NM_175052

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATTTTGTAATAAGG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC215497 representing NM_175052

Red=Cloning site Green=Tags(s)

MRSIRKRWTICTISLLLIFYKTKEIARTEEHQETQLIGDGELSLSRSLVNSSDKIIRKAGSSIFQHNVEG WKINSSLVLEIRKNILRFLDAERDVSVVKSSFKPGDVIHYVLDRRRTLNISHDLHSLLPEVSPMKNRRFK

TCAVVGNSGILLDSECGKEIDSHNFVIR

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8027 a06.zip



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Restriction Sites:


Sgfl-Mlul

Cloning Scheme:

Cloning sites used for ORF Shuttling:

Sgf1 ORF Miu I

--- GCGATCGC C ATG ---//--- NNN ACG CGT ---



^{*} The last codon before the Stop codon of the ORF

ACCN: NM_175052

ORF Size: 504 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 175052.3</u>

RefSeq Size: 1887 bp
RefSeq ORF: 507 bp
Locus ID: 7903
UniProt ID: Q92187



Cytogenetics: 5q21.1

MW: 19.1 kDa


Gene Summary: The protein encoded by this gene catalyzes the polycondensation of alpha-2,8-linked sialic

acid required for the synthesis of polysialic acid, a modulator of the adhesive properties of neural cell adhesion molecule (NCAM1). The encoded protein, which is a member of

glycosyltransferase family 29, is a type II membrane protein that may be present in the Golgi apparatus. Two transcript variants encoding different isoforms have been found for this gene.

[provided by RefSeq, Jul 2008]

Product images:



Circular map for RC215497