

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC215547L3V

KIAA1199 (CEMIP) (NM_018689) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	KIAA1199 (CEMIP) (NM_018689) Human Tagged ORF Clone Lentiviral Particle
Symbol:	KIAA1199
Synonyms:	CCSP1; HYBID; KIAA1199; TMEM2L
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_018689
ORF Size:	4083 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC215547).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 018689.1</u>
RefSeq Size:	7080 bp
RefSeq ORF:	4086 bp
Locus ID:	57214
UniProt ID:	<u>Q8WUJ3</u>
Cytogenetics:	15q25.1
MW:	153 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



KIAA1199 (CEMIP) (NM_018689) Human Tagged ORF Clone Lentiviral Particle - RC215547L3V

Gene Summary:Mediates depolymerization of hyaluronic acid (HA) via the cell membrane-associated clathrin-
coated pit endocytic pathway. Binds to hyaluronic acid. Hydrolyzes high molecular weight
hyaluronic acid to produce an intermediate-sized product, a process that may occur through
rapid vesicle endocytosis and recycling without intracytoplasmic accumulation or digestion in
lysosomes. Involved in hyaluronan catabolism in the dermis of the skin and arthritic
synovium. Positively regulates epithelial-mesenchymal transition (EMT), and hence tumor cell
growth, invasion and cancer dissemination. In collaboration with HSPA5/BIP, promotes
cancer cell migration in a calcium and PKC-dependent manner. May be involved in hearing.
[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US