

## Product datasheet for RC215592L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## TMS1 (PYCARD) (NM 013258) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: TMS1 (PYCARD) (NM\_013258) Human Tagged ORF Clone Lentiviral Particle

Symbol: TMS<sup>2</sup>

**Synonyms:** ASC; CARD5; TMS; TMS-1; TMS1

**Mammalian Cell** 

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_013258

ORF Size: 585 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC215592).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 013258.3

 RefSeq Size:
 936 bp

 RefSeq ORF:
 588 bp

 Locus ID:
 29108

 UniProt ID:
 Q9ULZ3

 Cytogenetics:
 16p11.2

**Domains:** PAAD\_DAPIN

**Protein Families:** Druggable Genome





## TMS1 (PYCARD) (NM\_013258) Human Tagged ORF Clone Lentiviral Particle - RC215592L4V

Protein Pathways: Cytosolic DNA-sensing pathway, NOD-like receptor signaling pathway

**MW:** 21.4 kDa

**Gene Summary:** This gene encodes an adaptor protein that is composed of two protein-protein interaction

domains: a N-terminal PYRIN-PAAD-DAPIN domain (PYD) and a C-terminal caspase-recruitment domain (CARD). The PYD and CARD domains are members of the six-helix bundle death domain-fold superfamily that mediates assembly of large signaling complexes in the inflammatory and apoptotic signaling pathways via the activation of caspase. In normal cells, this protein is localized to the cytoplasm; however, in cells undergoing apoptosis, it forms ball-like aggregates near the nuclear periphery. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]