

Product datasheet for RC215597L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GCNT2 (NM_001491) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: GCNT2 (NM_001491) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: GCNT2

Synonyms: bA360O19.2; bA421M1.1; CCAT; CTRCT13; GCNT2C; GCNT5; IGNT; II; NACGT1; NAGCT1; ULG3

Mammalian Cell P

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC215597).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001491

ORF Size: 1200 bp





GCNT2 (NM_001491) Human Tagged Lenti ORF Clone - RC215597L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001491.2</u>

RefSeq Size: 4691 bp RefSeq ORF: 1203 bp Locus ID: 2651

UniProt ID: Q06430

Cytogenetics: 6p24.3-p24.2

Domains: Branch

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Glycosphingolipid biosynthesis - lacto and neolacto series, Metabolic pathways

MW: 45.7 kDa

Gene Summary: This gene encodes the enzyme responsible for formation of the blood group I antigen. The i


and I antigens are distinguished by linear and branched poly-N-acetyllactosaminoglycans,

respectively. The encoded protein is the I-branching enzyme, a beta-1,6-N-

acetylglucosaminyltransferase responsible for the conversion of fetal i antigen to adult I antigen in erythrocytes during embryonic development. Mutations in this gene have been associated with adult i blood group phenotype. Alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC215597L4