

Product datasheet for RC215609

MAFF (NM 012323) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: MAFF (NM_012323) Human Tagged ORF Clone

Tag: Myc-DDK MAFF

Synonyms: hMafF; U-MAF

Mammalian Cell Neomycin

Selection:

Symbol:

Vector: pCMV6-Entry (PS100001) E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >RC215609 representing NM_012323

Red=Cloning site Blue=ORF Green=Tags(s) Sequence:

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGTCTGTGGATCCCCTATCCAGCAAAGCTCTAAAGATCAAGCGAGAGCTGAGCGAGAACACGCCGCACC TGTCGGACGAGGCGCTGATGGGGCTGTCGGTGCGCGAGCTGAACCGGCATCTGCGCGGGCTCTCCGCCGA GGAGGTGACACGGCTCAAGCAGCGCCCCCCACACTCAAAAACCGTGGCTACGCCGCCAGCTGCCGCGTG AAGCGCGTGTGCCAGAAGGAGGAGCTGCAGAAGCAGAAGTCGGAGCTGGAGCGCGAGGTGGACAAGCTGG CGCGCGAGAACGCCGCCATGCGCCTGGAGCTCGACGCGCTGCGCGCAAGTGCGAGGCGCTGCAGGGCTT CGCGCGCTCCGTGGCCGCCCGCGGGCCCGCCACGCTCGTGGCGCCGGCCAGCGTCATCACCATCGTC AAGTCCACCCGGGCTCGGGGTCTGGCCCCGCCCACGGCCCGGACCCCGCCCACGGCCCCGCCTCCTGCT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

>RC215609 representing NM_012323 **Protein Sequence:**

Red=Cloning site Green=Tags(s)

MSVDPLSSKALKIKRELSENTPHLSDEALMGLSVRELNRHLRGLSAEEVTRLKQRRRTLKNRGYAASCRV KRVCQKEELQKQKSELEREVDKLARENAAMRLELDALRGKCEALQGFARSVAAARGPATLVAPASVITIV

KSTPGSGSGPAHGPDPAHGPASCS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM 012323

ORF Size: 492 bp

OTI Disclaimer:

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at customport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 012323.4</u>



RefSeq Size: 2382 bp

 RefSeq ORF:
 495 bp

 Locus ID:
 23764

 UniProt ID:
 Q9ULX9

 Cytogenetics:
 22q13.1

Domains: bZIP_Maf, BRLZ


Protein Families: Druggable Genome, Transcription Factors

MW: 17.6 kDa

Gene Summary: The protein encoded by this gene is a basic leucine zipper (bZIP) transcription factor that lacks


a transactivation domain. It is known to bind the US-2 DNA element in the promoter of the oxytocin receptor (OTR) gene and most likely heterodimerizes with other leucine zippercontaining proteins to enhance expression of the OTR gene during term pregnancy. The encoded protein can also form homodimers, and since it lacks a transactivation domain, the homodimer may act as a repressor of transcription. This gene may also be involved in the cellular stress response. Multiple transcript variants encoding two different isoforms have been found for this gene. [provided by RefSeq, Jun 2009]

Product images:



Circular map for RC215609





Coomassie blue staining of purified MAFF protein (Cat# [TP315609]). The protein was produced from HEK293T cells transfected with MAFF cDNA clone (Cat# RC215609) using MegaTran 2.0 (Cat# [TT210002]).