

## Product datasheet for **RC215642**

### **MCM10 (NM\_182751) Human Tagged ORF Clone**

#### **Product data:**

|                           |  |
|---------------------------|--|
| Product Type:             | Expression Plasmids                      |
| Product Name:             | MCM10 (NM_182751) Human Tagged ORF Clone |
| Tag:                      | Myc-DDK                                  |
| Symbol:                   | MCM10                                    |
| Synonyms:                 | CNA43; DNA43; PRO2249                    |
| Mammalian Cell Selection: | Neomycin                                 |
| Vector:                   | pCMV6-Entry (PS100001)                   |
| E. coli Selection:        | Kanamycin (25 ug/mL)                     |



[View online »](#)

**ORF Nucleotide Sequence:**

>RC215642 ORF sequence  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGGATGAGGAGGAAGACAATCTGTCTCTGCTGACCCGACTGCTGGAAGAAAATGAGTCAGCCTTGATT  
 GTAATTCAGAAGAAAATAACTTCTTGACGCGGGAAAATGGCGAGCCCAGGCATTTGATGAGCTCTTTGA  
 TGCCGACGGCGACGGTGAATCTTATACAGAAGAGGCTGATGATGGAGAAAACAGGAGAGACAAGAGACGAA  
 AAGGAAAATCTGGCCACTCTCTTTGGAGATATGGAGGACTTAACAGATGAAGAAGAAGTTCCCGCATCAC  
 AGTCAACTGAAAAAGGGTCTCCCTGCTCCTGCCCCAGGCGAGAGAAAACGAATGAAGAGTTGCAAGA  
 GGAATTAAGGAATTTGCAAGAGCAAATGAAGGCCCTTACAAGAGCAGCTAAAAGTAACAACAATTAACAG  
 ACAGCAAGCCCAGCCGCTGCAAAAAATCCCTGTAGAGAAGTCTCCCGGCCACCTCTTAAGGAGAGGA  
 GAGTTCAGAGAATTCAGGAGTCAACATGCTTTTCTGCGGAGCTTGATGTCCTCGCGTACCAAGAACCAA  
 GAGGGTGGCTCGAACACCAAAGGCTTCACTCCAGATCCCAAAGCTCATCTTCAAGGATGACAAGTGCA  
 CCCTCCCAACCCCTACAGACGATTTCTCGGAACAAACCTAGTGGGATAACTAGAGGTCAAATTTGGGGGA  
 CCCCAGGAAGTTCTGGGAAACGACTCAACCCATCTGTGTGGAAGCCTTCTCTGGTCTGCGGCTCAGGCG  
 GCCTCGAGTATCCTCCACAGAAATGAACAAGAAAATGACCGGCCGAAAACCTGATCAGACTGTCTCAGATC  
 AAGGAAAAGATGGCCAGAGAGAAGCTGGAAGAAAATAGATTGGGTGACATTTGGGGTTATATTGAAGAAGG  
 TTACGCCACAGAGTGTGAATAGTGGAAAACCTTCAAGCATATGAAAACCTGAATGATCTTCGTGACCTGAC  
 ACAATGTGTGCTTGTCTTATTTGGAGAAGTTCACAAAGCGCTCTGGAAGACGGAGCAGGGGACTGTC  
 GTAGGGTCTCAATGCCAACCCATGAAGCCCAAGGATGGTTCAGAGGAGGTGTTTTATCTATCGATC  
 ATCCTCAGAAGGTCTTAATTATGGGTGAAGCTTTGACCTGGGAACCTGTAAGCCAAGAAGAAGAAATGG  
 AGAGCCGTGCACGCAGACTGTGAATTTGCGTGACTGTGAGTACTGTCAGTACCATGTCCAGGCTCAGTAC  
 AAGAAGCTCAGCGCAAAGCGTGCAGTCTGCACTCCACCTTCTCTGGAGGACGAATTCAAAAGAAGTTTG  
 CCCGACAGGACCCAGCCTCAAAGAACGGCTGTGCAAGATGGCTTTTACTACGGAGGGGTTTCTCTGCTG  
 CTCGATGACAGCTTCAATTGCAGCAGCTGTGGCTCCTAAGAAGAAGATTCAAACCACTCTGAGTAATCTG  
 GTTGTTAAGGGCACAACTTGATCATCCAGGAAACACGGCAAAAACCTCGGAATACCCAGAAAGAGCCTGT  
 CTTGCTCTGAGGAGTTCAAGGAACTGATGGACCTGCCGACGTGTGGAGCCAGGAACCTAAAACAACATTT  
 AGCCAAAGCCACAGCTTCAAGGATTATGGGGAGCCAAAACAGCCATCAAGTCCATCTCGGCCCTCAGCA  
 CTCTTGAAGCAACAGAAGCAGCGGATGTTGGAGATGAGGAGAAGGAAATCAGAAGAAATACAGAAGCGAT  
 TTCTGCAGAGCTCAAGTGAAGTTGAGAGCCAGCTGTGCCATCTTCATCAAGACAGCCCCCTGCTCAGCC  
 TCCACGGACAGGATCCGAGTTCCCCAGGCTGGAGGGAGCCCCGGCCACAATGACGCCCAAGCTGGGGCGA  
 GGTGTCTTGAAGGAGATGATGTTCTCTTTATGATGAGTCAACCACCACCAAGACCAAAAACCTGAGTGCTT  
 TAGCAGAAGCCAAAAAGTTAGCTGCTATCACCAAAATTAAGGGCAAGAGGCCAGGTTCTTACAAAAACAAA  
 CCCAAACAGCATTAAAGAAGAAACAAAAGGACCCTCAGGACATCCTGGAGGTGAAGGAACGTGTAGAAAAA  
 AACACCATGTTTTCTTCTCAAGCTGAGGATGAATTGGAGCCTGCCAGGAAAAAAGGAGAGAACAACCTTG  
 CCTATCTGGAATCTGAGGAATTTAGAAAATCTAAAAGCAAAATCAAACACACAGGCATCCTGAAAGA  
 GGCCGAGGCTGAGATGCAGGAGCGCTACTTTGAGCCACTGGTAAAAAAGAACAATGGAAGAAAAGATG  
 AGAAACATCAGAGAAGTGAAGTGCCGTGCTGACATGCAAGACGTGCGCCTATACCCACTTCAAGCTGC  
 TGGAGACCTGCGTCAGTGAAGCAGCATGAATACCACTGGCATGATGGTGTGAAGAGTTTTTCAAATGTCC  
 CTGTGGAACAGAAGCATCTCCTTGGACAGACTCCCGAACAGCACTGCAGTAACTGTGGCCTCTACAAA  
 TGGGAACGGGACGGAATGCTAAAGGAAAAGACTGGTCCAAGATAGGAGGAGAACTCTGTTACCAAGAG  
 GAGAAGAACATGCTAAATTTCTGAACAGCCTTAAA

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC215642 protein sequence  
 Red=Cloning site Green=Tags(s)

MDEEEDNLSLLTALLEENESALDCNSEENNFLTRENGEPDAFDELFDADGDGESYTEEADDGETGETRDE  
 KENLATLFGDMEDLTDEEEVPASQSTENRVLPAAPRREKTNEELQEELRNLQEOMKALQEQLKVTTIKQ  
 TASPAPRLQKSPVEKSPRPPLKERRVQRIQESTCFSAELDVPALPRTKRVARTPKASPPDPKSSSSSRMTSA  
 PSQPLQTI SRNKPSGITRGQIVGTPGSSGETTQPICVEAFSGLRLRRPRVSTEMNKMTGRKLIRLSQI  
 KEKMAREKLEEIDWVTFGVILKKVTPQSVNSGKTF SIWKLNDLRDLTQC VSLFLFGEVHKALWKTEQGTV  
 VGILNANPMKPKDGSEEVCLSIDHPQKVLIMGEALDLGTCKAKKKNGEPCQTQTVNLRDCEYCYHVQAQY  
 KKL SAKRADLQSTFSGGRIPKFFARRGTS LKERLCQDGFYGGVSSASAYAASIAAAVAPKKKIQTTL SNL  
 VYKGTNLI IQETRQKLGIPQKSLSCSEEFKELMDLPTCGARNLKQHLAKATASGIMGSPKPAIKSISASA  
 LLKQKQKRMLEMRRRKSEEIQKRFLQSSSEVESPAVPSSSRQPPAQPRTGSEFPRLLEGAPATMTPKLGR  
 GVL EGDVLFYDESPPPRPKLSALAEAKKLAAITKL RARGQVLTKTNPNSIKKKQKDPQDILEVKERVEK  
 NTFSSQAEDLEPARKRREQLAYLESEEFQKILKAKSKHTGILKEAEAE MQERYFEPLVKKEQMEEMK  
 RNIREVKCRVVTCKTCAYTHFKLLET CVSEQHEYHWHDGVKRFKCP CGNRSISLDRLPNKHCSNCGLYK  
 WERDGM LKEKTGPKIGGETLLPRGEEHAKFLNSLK



TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: [https://cdn.origene.com/chromatograms/mk6692\\_f06.zip](https://cdn.origene.com/chromatograms/mk6692_f06.zip)

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:




\* The last codon before the Stop codon of the ORF


|                               |  |
|-------------------------------|--|
| <b>ACCN:</b>                  | NM_182751  |
| <b>ORF Size:</b>              | 2625 bp  |
| <b>OTI Disclaimer:</b>        | <p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p> |
| <b>OTI Annotation:</b>        | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.   |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).   |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>  |
| <b>RefSeq:</b>                | <a href="#">NM_182751.3</a>  |
| <b>RefSeq Size:</b>           | 4562 bp  |
| <b>RefSeq ORF:</b>            | 2628 bp  |
| <b>Locus ID:</b>              | 55388  |
| <b>UniProt ID:</b>            | <a href="#">Q7L590</a>   |
| <b>Cytogenetics:</b>          | 10p13  |
| <b>Protein Families:</b>      | Stem cell - Pluripotency   |
| <b>MW:</b>                    | 98.2 kDa   |

**Gene Summary:**

The protein encoded by this gene is one of the highly conserved mini-chromosome maintenance proteins (MCM) that are involved in the initiation of eukaryotic genome replication. The hexameric protein complex formed by MCM proteins is a key component of the pre-replication complex (pre-RC) and it may be involved in the formation of replication forks and in the recruitment of other DNA replication related proteins. This protein can interact with MCM2 and MCM6, as well as with the origin recognition protein ORC2. It is regulated by proteolysis and phosphorylation in a cell cycle-dependent manner. Studies of a similar protein in *Xenopus* suggest that the chromatin binding of this protein at the onset of DNA replication is after pre-RC assembly and before origin unwinding. Alternatively spliced transcript variants encoding distinct isoforms have been identified. [provided by RefSeq, Jul 2008]

**Product images:**


Circular map for RC215642



Western blot validation of overexpression lysate (Cat# [LY405347]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC215642 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).