

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC215660L2V

OSBPL2 (NM_014835) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	OSBPL2 (NM_014835) Human Tagged ORF Clone Lentiviral Particle
Symbol:	OSBPL2
Synonyms:	DFNA67; DNFA67; ORP-2; ORP2
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_014835
ORF Size:	1404 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC215660).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 014835.2</u>
RefSeq Size:	3935 bp
RefSeq ORF:	1407 bp
Locus ID:	9885
UniProt ID:	<u>Q9H1P3</u>
Cytogenetics:	20q13.33
Domains:	Oxysterol_BP
MW:	53.8 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This gene encodes a member of the oxysterol-binding protein (OSBP) family, a group of
intracellular lipid receptors. Most members contain an N-terminal pleckstrin homology
domain and a highly conserved C-terminal OSBP-like sterol-binding domain, although the
encoded protein contains only the sterol-binding domain. In vitro studies have shown that
the encoded protein can bind strongly to phosphatic acid and weakly to phosphatidylinositol
3-phosphate, but cannot bind to 25-hydroxycholesterol. The protein associates with the Golgi
apparatus. Transcript variants encoding different isoforms have been described. [provided by
RefSeq, Sep 2014]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US