

Product datasheet for RC215676L1

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville. MD 20850. US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PANK2 (NM_153638) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PANK2 (NM_153638) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: PANK2

Synonyms: C20orf48; HARP; HSS; NBIA1; PKAN

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC215676).

Sequence:

Restriction Sites: Sgfl-Rsrll

Cloning Scheme:





 $[\]ensuremath{^*}$ The last codon before the Stop codon of the ORF.

ACCN: NM_153638

ORF Size: 1710 bp





PANK2 (NM_153638) Human Tagged Lenti ORF Clone - RC215676L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 153638.2</u>, <u>NP 705902.2</u>

 RefSeq Size:
 2280 bp

 RefSeq ORF:
 1713 bp

 Locus ID:
 80025

 UniProt ID:
 Q9BZ23

 Cytogenetics:
 20p13

Protein Families: Druggable Genome

Protein Pathways: Metabolic pathways, Pantothenate and CoA biosynthesis

MW: 59.1 kDa

Gene Summary: This gene encodes a protein belonging to the pantothenate kinase family and is the only

member of that family to be expressed in mitochondria. Pantothenate kinase is a key regulatory enzyme in the biosynthesis of coenzyme A (CoA) in bacteria and mammalian cells. It catalyzes the first committed step in the universal biosynthetic pathway leading to CoA and


is itself subject to regulation through feedback inhibition by acyl CoA species. Mutations in this gene are associated with HARP syndrome and pantothenate kinase-associated neurodegeneration (PKAN), formerly Hallervorden-Spatz syndrome. Alternative splicing,

involving the use of alternate first exons, results in multiple transcripts encoding different

isoforms. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC215676L1