

## Product datasheet for RC215678L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Chimaerin 2 (CHN2) (NM 001039936) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** Chimaerin 2 (CHN2) (NM\_001039936) Human Tagged ORF Clone Lentiviral Particle

Symbol: Chimaerin 2

ARHGAP3; BCH; CHN2-3; RHOGAP3 Synonyms:

**Mammalian Cell** 

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

NM 001039936 ACCN:

**ORF Size:** 996 bp

**ORF Nucleotide** 

OTI Disclaimer:

Cytogenetics:

The ORF insert of this clone is exactly the same as(RC215678).

Sequence:

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

The molecular sequence of this clone aligns with the gene accession number as a point of

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 001039936.1, NP 001035025.1

7p14.3

RefSeq Size: 2843 bp RefSeq ORF: 999 bp Locus ID: 1124 **UniProt ID:** P52757

MW: 38 kDa





## **Gene Summary:**

This gene encodes a guanosine triphosphate (GTP)-metabolizing protein that contains a phorbol-ester/diacylglycerol (DAG)-type zinc finger, a Rho-GAP domain, and an SH2 domain. The encoded protein translocates from the cytosol to the Golgi apparatus membrane upon binding by diacylglycerol (DAG). Activity of this protein is important in cell proliferation and migration, and expression changes in this gene have been detected in cancers. A mutation in this gene has also been associated with schizophrenia in men. Alternative transcript splicing and the use of alternative promoters results in multiple transcript variants. [provided by RefSeq, May 2014]