

Product datasheet for RC215682L3

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CENPJ (NM_018451) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: CENPJ (NM_018451) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: CENPI

Synonyms: BM032; CENP-J; CPAP; LAP; LIP1; MCPH6; Sas-4; SASS4; SCKL4

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

The ORF insert of this clone is exactly the same as(RC215682). **ORF Nucleotide**

Sequence:

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_018451

ORF Size: 4014 bp





CENPJ (NM_018451) Human Tagged Lenti ORF Clone - RC215682L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 018451.2</u>

 RefSeq Size:
 4387 bp

 RefSeq ORF:
 4017 bp

 Locus ID:
 55835

 UniProt ID:
 Q9HC77

Cytogenetics: 13q12.12-q12.13

MW: 152.8 kDa


Gene Summary: This gene encodes a protein that belongs to the centromere protein family. During cell

division, this protein plays a structural role in the maintenance of centrosome integrity and normal spindle morphology, and it is involved in microtubule disassembly at the centrosome. This protein can function as a transcriptional coactivator in the Stat5 signaling pathway, and also as a coactivator of NF-kappaB-mediated transcription, likely via its interaction with the coactivator p300/CREB-binding protein. Mutations in this gene are associated with primary autosomal recessive microcephaly, a disorder characterized by severely reduced brain size and cognitive disability. Alternatively spliced transcript variants have been found for this gene.

[provided by RefSeq, Apr 2012]



Product images:



Circular map for RC215682L3