

Product datasheet for RC215758L2V

SLC27A5 (NM_012254) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	SLC27A5 (NM_012254) Human Tagged ORF Clone Lentiviral Particle
Symbol:	SLC27A5
Synonyms:	ACSB; ACSVL6; BACS; BAL; FACVL3; FATP-5; FATP5; VLACSR; VLCS-H2; VLCSH2
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_012254
ORF Size:	2070 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC215758).
OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	NM_012254.2
RefSeq Size:	2378 bp
RefSeq ORF:	2073 bp



[View online »](#)

Locus ID:	10998
UniProt ID:	Q9Y2P5
Cytogenetics:	19q13.43
Domains:	AMP-binding
Protein Families:	Transmembrane
Protein Pathways:	Metabolic pathways, PPAR signaling pathway, Primary bile acid biosynthesis
MW:	75.4 kDa
Gene Summary:	<p>The protein encoded by this gene is an isozyme of very long-chain acyl-CoA synthetase (VLCS). It is capable of activating very long-chain fatty-acids containing 24- and 26-carbons. It is expressed in liver and associated with endoplasmic reticulum but not with peroxisomes. Its primary role is in fatty acid elongation or complex lipid synthesis rather than in degradation. This gene has a mouse ortholog. [provided by RefSeq, Jul 2008]</p>