

## Product datasheet for RC215860L4

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Placental lactogen (CSH1) (NM\_001317) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: Placental lactogen (CSH1) (NM\_001317) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Placental lactogen

Synonyms: CS-1; CSA; CSMT; GHB3; hCS-1; hCS-A; PL

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

**E. coli Selection:** Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC215860).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001317

ORF Size: 651 bp



### Placental lactogen (CSH1) (NM\_001317) Human Tagged Lenti ORF Clone - RC215860L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001317.3</u>

 RefSeq Size:
 934 bp

 RefSeq ORF:
 654 bp

 Locus ID:
 1442

 UniProt ID:
 P01243

 Cytogenetics:
 17q23.3

Domains: hormone

**Protein Families:** Druggable Genome

**Protein Pathways:** Jak-STAT signaling pathway, Neuroactive ligand-receptor interaction

**MW:** 25 kDa

**Gene Summary:** The protein encoded by this gene is a member of the somatotropin/prolactin family of

hormones and plays an important role in growth control. The gene is located at the growth

hormone locus on chromosome 17 along with four other related genes in the same


transcriptional orientation; an arrangement which is thought to have evolved by a series of gene duplications. Although the five genes share a remarkably high degree of sequence identity, they are expressed selectively in different tissues. Alternative splicing generates additional isoforms of each of the five growth hormones, leading to further diversity and potential for specialization. This particular family member is expressed mainly in the placenta and utilizes multiple transcription initiation sites. Expression of the identical mature proteins

for chorionic somatomammotropin hormones 1 and 2 is upregulated during development, although the ratio of 1 to 2 increases by term. Mutations in this gene result in placental

lactogen deficiency and Silver-Russell syndrome. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for RC215860L4