

Product datasheet for **RC215900**

PREX2 (NM_025170) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PREX2 (NM_025170) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PREX2
Synonyms:	DEP.2; DEPDC2; P-REX2; PPP1R129
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

ORF Nucleotide Sequence:

>RC215900 representing NM_025170
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGAGCGAGGACAGCCGCGGAGACAGCCGCGCGAGAGCGCCAAGGACCTGGAGAAGCAGCTTCGCCTGC
 CGGTGTGCGTGCTCAGCGAGCTCCAGAAGACCGAGCGGGACTATGTGGGCACGCTGGAGTTCCTGGTGTC
 GGCATTCTTACACAGAATGAACCAAGTGTGCAGCATCAAAAGTTGACAAAAATGTGACAGAAGAAACAGTG
 AAGATGTTGTTCTCAAACATTGAAGACATCCTTGCAGTACATAAAGAATTCTTAAAAGTCGTGGAAGAAT
 GCTTACACCCCGAACCTAATGCTCAACAAGAAGTGGGAACCTGCTTTCTTCACTTAAAGACAAGTTTCG
 TATCTATGATGAATATTGTAGTAACCATGAGAAGGCACAAAAATTAAGTCTTGAAGTCAACAAAAAAGA
 ACAATCCGGACATTTCTTTGAACTGCATGCTGCTTGGAGGACGGAAGAACACAGATGTTCCCTTGAAG
 GATATTTAGTAACACCAATACAAAGAATATGCAAGTACCCTCTATTTTGAAGGAGTTGCTGAAGCGGAC
 TCCACGGAAACACAGTACTATGCAGCAGTATGGAAGCCCTCCAAGCCATGAAAGCTGTCTGTTCCAAC
 ATAAACGAGGCCAAGAGACAGATGGAGAAGTTAGAAGTTTTAGAGGAATGGCAGTCTCACATTGAAGGCT
 GGGAGGGTCCAACATCACTGACACCTGCACTGAAATGCTAATGTGTGGAGTCTTACTGAAAATTTCTTC
 TGGAAATATTCAGAACGGGTGTTTTCTTTTCGATAATCTTTTGGTGTACTGCAAAAAGAAAACACAGA
 CGGTGGAAGAACGCAAGGCATCTACAGATGGACATCGGTACCTTTTTCTGGCCGGATCAACACGGAGG
 TGATGGAAGTGGAGAATGTGGATGATGGCACCGCTGATTTCCATAGCAGTGGACACATTGTTGTTAATGG
 ATGGAAGATACATAACACAGCAAAAAATAAATGGTTTGTGTATGGCAAAAACCTGAAGAGAAGCAT
 GAATGGTTGAAGCTATTTTGAAGAAAAGAGAACGGCGGAAAGTTTAAAATTAGGAATGGAGCAAGATA
 CCTGGTGCATGATCTCTGAACAGGGTGAGAACTTTATAAAATGATGTGCAGACAAGGAAATCTGATCAA
 AGACCGAAAAGAGAAAACGACTACGTTCCCTAAATGCTTTCTTGAAGCGAATTTGTGTCATGGCTGTTG
 GAAATTGGAGAGATTCACAGGCCTGAGGAAGCGTGCCTTGGGCAAGCATTATTAGAAAATGGAATCA
 TTCACCATGTTACTGATAAACATCAATTCAAACCAGAACAGATGTTATATAGATTTTCGATGATGATGG
 AACATTTTATCCAAGAAATGAGATGCAGGACGTGATTTCAAAGGGTGAAGATTATTGTCGTCTTCAT
 AGCCTTTTTACTCCAGTGATAAGAGATAAAGATTACCATTTAAGGACCTACAAATCTGTGGTTCATGGCCA
 ACAAACTGATAGACTGGTTAATGCACAGGGAGATTGCCGCACCAGAGAAGAGGCAATGATATTTGGCGT
 TGGACTCTGTGACAATGGATTTATGCACCATGTCCTTGAAGAAAAGCGAATTCAAAGATGAACCCCTACTT
 TTCGTTTTTTTTTCGGATGAGGAAATGGAGGGATCAAATATGAAACATCGACTTATGAAACATGACTTAA
 AAGTTGTGAAAAATGTTATAGCTAAGTCATTATTGATTAAATCCAATGAAGGCAGCTATGGCTTTGGATT
 AGAAGACAAAAATAAAGTTCCAATAATAAAGTTGGTAGAAAAGGGATCTAATGCTGAGATGGCTGGCATG
 GAAGTCGGGAAAAAGATTTTGGCTATTAATGGTGACCTAGTTTTTATGAGACCTTCAATGAAGTGGATT
 GCTTCTGAAATCGTGTTTAAACAGCAGAAAACCTCTAAGAGTCTTGTGAGCACAAAGCCAAGAGAGAC
 AGTGAAAATTCAGATTCAGCTGATGGACTTGGCTTCCAGATCCGGGGATTTGGCCCTTCTGTTGTCAT
 GCTGTAGGAAGAGAACTGTGGCTGCAGCAGCTGGTCTTACCCTGGACAGTGCATTATCAAGGTGAATG
 GAATCAATGTGAGCAAGAGACACATGCCAGTGCATTGCACACGTTACAGCCTGCAGGAAGTACAGGCC
 GCCAACGAAGCAAGATTCATACAATGGGTTTATAATAGCATTGAGAGTCTCAAGAAGACCTTCAAAAA
 TCTCACTCCAAGCCCCCTGGAGATGAAGCAGGGGATGCTTTTACTGTAAGTAGAAGAGGTTATTGACA
 AATTCAACACTATGGCCATCATTGATGGGAAGAAGGAGCATGTGAGTCTGACAGTGGACAATGTCCACCT
 GGAATATGGTGTGCTGTATGAGTACGACAGCACAGCTGGCATCAAGTGAATGTGGTGGAAAAGATGATT
 GAGCCCAAAGGTTTCTTCAAGTAACTGCCAAGATTCTTGAAGCCCTGGCTAAAAGTGTGAGCATTTTG
 TACAAAAGTGTACCAGCCTAAATCTCTAAATGAAGTATTCTACTGACCTTCCAGGTAATTCAGTGC
 CCTTTCAGTGAAGAATTGAACACCTATGTCAGAGAATATCCAGTTATAAAAAGGTTCAAGCTTCAGAA
 AGGTTTTACAATTCACAGCACGGCATGCTGTCTGGGAGCACAGTTTTGATCTTACAGTGAAGCAGCA
 CATTTCCAGTACCTGTGACTATGGAGTTCCTCCTGCTGCCTCCTCTCTTAGGAATATCCAGGATGG
 AAGACAGCACTGCATTCTGAGGACCTTCTTCTCAAGAAATGCTCTTAGCAGAGAGGGCCCTGTC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC215900 representing NM_025170
 Red=Cloning site Green=Tags(s)


MSEDSRSGDSRAESAKDLEKQLRLRVCVLSELQKTERDYVGTLEFLVSAFLHRMNQCAASKVDKNVTEETV
 KMLFSNIEDILAVHKEFLKVVEECLHPEPNAQQEVGTCFLHFKDKFRIYDEYCSNHEKAQKLLLELNKIR
 TIRTFLLNCMLLGGKNTDVPLEGYLVTPIQRICKYPLILKELLKRTPRKHSDYAAVMEALQAMKAVCSN
 INEAKRQMEKLEVL EEWQSHIEGWEGSNI TDCTEMLMCGVLLKISSGNIQERVFFLFDNLLVYCKRKHR
 RLKNSKASTDGHRYLFRGRINTEVMEVENVDDGTADFHSSGHI VVNGWKI HNTAKNKWFVCMAPTPEEKH
 EWFEAILKERERRKGLKLGMEQDTWVMISEQGEKLYKMMCRQGNLIKDRKRKLTTFPKCFLGSEFVSWLL
 EIGEIHRPEEGVHLGQALLENGI IHHVTDKHQFKPEQMLYRFRYDDGTFYPRNEMQDVISKGVRLYCRLH
 SLFTPVIRDKDYHLRTYKSVVMANKLIDWLIAQGD CRTREEAMIFGVGLCDNGFMHHVLEKSEFKDEPLL
 FRFFSDEEMEGSNMKHRLMKHDLKVVENVI AKSLLIKSNEGSYGFLEDKNKVP I IKLVEKGSNAEMAGM
 EVGKKIFAINGDLVFMRFNEVDCFLK SCLNSRPLRVLVSTKPRETVKIPDSADLGFQIRGFGPSVVH
 AVGRGTAAAAGLHPGQCIK VNGINVSKE THASVIAHVTACRKYRRPTKQDSIQWVYNSIESAQEDLQK
 SHSKPPGDEAGDAFDCKVEEVIDKFNTMAIIDGKKEHVSLTVDNVHLEYGVVYEDSTAGIKCNVVEKMI
 EPKGFSLTAKILEALAKSDEHFVQNCTSLNSLNEVIPTDLQSKFSALCSERIEHL CQRIS SYKKVQASE
 RFYNFTARHAVWEHSFDLHSVSTFPVPVTMEFLLLPPLLGISQDGRQHCIPEDLP SQEMLLAERAPV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_025170

ORF Size: 2937 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_025170.6](#)

RefSeq Size: 3024 bp

RefSeq ORF: 2940 bp

Locus ID: 80243

UniProt ID: [Q70Z35](#)

Cytogenetics: 8q13.2

MW: 111.9 kDa

Gene Summary: The protein encoded by this gene belongs to the phosphatidylinositol 3,4,5-trisphosphate (PIP3)-dependent Rac exchanger (PREX) family, which are Dbl-type guanine-nucleotide exchange factors for Rac family small G proteins. Structural domains of this protein include the catalytic diffuse B-cell lymphoma homology and pleckstrin homology (DHPH) domain, two disheveled, EGL-10, and pleckstrin homology (DEP) domains, two PDZ domains, and a C-terminal inositol polyphosphate-4 phosphatase (IP4P) domain that is found in one of the isoforms. This protein facilitates the exchange of GDP for GTP on Rac1, allowing the GTP-bound Rac1 to activate downstream effectors. Studies also show that the pleckstrin homology domain of this protein interacts with the phosphatase and tensin homolog (PTEN) gene product to inhibit PTEN phosphatase activity, thus activating the phosphoinositide-3 kinase (PI3K) signaling pathway. Conversely, the PTEN gene product has also been shown to inhibit the GEF activity of this protein. This gene plays a role in insulin-signaling pathways, and either mutations or overexpression of this gene have been observed in some cancers. [provided by RefSeq, Apr 2016]