

Product datasheet for RC215903L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SARM (SARM1) (NM_015077) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: SARM (SARM1) (NM_015077) Human Tagged ORF Clone Lentiviral Particle

Symbol: SARM

Synonyms: hSARM1; HsTIR; MyD88-5; SAMD2; SARM

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_015077

ORF Size: 2172 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC215903).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 015077.2</u>

RefSeq Size: 7001 bp
RefSeq ORF: 2175 bp
Locus ID: 23098
UniProt ID: Q6SZW1
Cytogenetics: 17q11.2
Domains: TIR. SAM

Protein Families: Druggable Genome





MW: 79.2 kDa

Gene Summary:

Negative regulator of MYD88- and TRIF-dependent toll-like receptor signaling pathway which plays a pivotal role in activating axonal degeneration following injury. Promotes Wallerian degeneration an injury-induced axonal death pathway which involves degeneration of an axon distal to the injury site. Can activate neuronal death in response to stress. Regulates dendritic arborization through the MAPK4-JNK pathway. Involved in innate immune response. Inhibits both TICAM1/TRIF- and MYD88-dependent activation of JUN/AP-1, TRIF-dependent activation of NF-kappa-B and IRF3, and the phosphorylation of MAPK14/p38. [UniProtKB/Swiss-Prot Function]