

## Product datasheet for RC215928

### KCNH2 (NM\_000238) Human Tagged ORF Clone

#### Product data:

|                           |   |
|---------------------------|---|
| Product Type:             | Expression Plasmids   |
| Product Name:             | KCNH2 (NM_000238) Human Tagged ORF Clone                                    |
| Tag:                      | Myc-DDK   |
| Symbol:                   | KCNH2   |
| Synonyms:                 | ERG-1; ERG1; H-ERG; HERG; HERG1; Kv11.1; LQT2; SQT1                         |
| Mammalian Cell Selection: | Neomycin  |
| Vector:                   | pCMV6-Entry (PS100001)  |
| E. coli Selection:        | Kanamycin (25 ug/mL)  |
| ORF Nucleotide Sequence:  | >RC215928 representing NM_000238<br>Red=Cloning site Blue=ORF Green=Tags(s) |

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGCCGGTGGGAGGGGCCACGTCGCGCCGAGAACACCTTCCTGGACACCATCATCCGCAAGTTTGAGG  
GCCAGAGCCGTAAGTTCATCATCGCCAACGCTCGGGTGGAGAAGTGCAGCCGTCATCTACTGCAACGACGG  
CTTCTGCGAGCTGTGCGGCTACTCGCGGCCGAGGTGATGCAGCGACCCTGCACCTGCGACTTCCTGCAC  
GGGCCGCGCAGCAGCGCCGCTGCCGCGCAGATCGCGCAGGCACTGCTGGGCGCCGAGGAGCGCAAG  
TGAAATCGCCTTCTACCGAAAGATGGGAGCTGCTTCCTATGTCTGGTGGATGTGGTGCCCGTGAAGAA  
CGAGGATGGGGTGTATCATGTTTCATCTCAATTCGAGGTGGTGGTGGAGAAGGACATGGTGGGGTCC  
CCGGCTCATGACACCAACCACCGGGGCCCCACCAGCTGGCTGGCCCGAGCCGCGCAAGACCTTCC  
GCCTGAAGCTGCCCGCGCTGCTGGCGCTGACGGCCCGGAGTTCGTCGGTGGCGTGGGCGCGCGGGCGG  
CGCGGGGCCCCCGGGGCGGTGGTGGGACGTTGACGCCCGCGGACCCAGCAGCGAGTGCCTG  
GCCCTGGACGAAGTGACAGCCATGGACAACCAGTGGCAGGGCTCGGGCCCGGGAGGAGCGGCGTGC  
TGGTGGTCCCGGCTCTCCGCCCGCAGCGCGCCCGCCAGCTCCCATCGCCCGGGCGCACAGCCTCAA  
CCCCAGCCCTCGGGTCCAGCTGCAGCCTGGCCCGGACGCGCTCCCGAGAAAGTGCGCCAGCGTGGC  
CGCGCTCGTGGCCGACGACATCGAGGCCATGCGCGCCGGGTGCTGCCCGCCACCGCGCCAGGCCA  
GCACCGGGCCATGCACCACTGCGCAGCGGCTTGTCAACTCCACTCGGACTCCGACCTCGTGGCGTA  
CCGACCAATTAGCAAGATTCCCCAAATCACCTCAACTTTGTGGACCTCAAGGGCGACCCCTTCTGGCT  
TCGCCCACAGTGACCGTGGATCATAGCACCTAAGATAAAGGAGCGAACCCACAATGCTACTGAGAAGG  
TCACCCAGGTCCTGTCCTGGGCGCCGACGTGCTGCTGAGTACAAGCTGCAGGCACCGCGCATCCACCG  
CTGGACCATCCTGCATTACAGCCCTTCAAGGCCGTGGGACTGGCTCATCCTGCTGCTGGTTCATCTAC  
ACGGCTGTCTTACACCCTACTCGGCTGCCTTCTGCTGAAGGAGACGGAAGAAGCCCGCTGCTACCG  
AGTGTGGTACGCTGCCAGCCGCTGGTGTGGTGGACCTCATCGTGGACATCATGTTTCATTGTGGACAT  
CCTCATCAACTCCGACCACTACGTCAATGCCAACGAGGAGGTGGTACGCCACCCCGCCGATCGCC



[View online >](#)


GTCCACTACTTCAAGGGCTGGTTCCTCATCGACATGGTGGCCGCCATCCCCTTCGACCTGCTCATCTTCG  
GCTCTGGCTCTGAGGAGCTGATCGGGCTGCTGAAGACTGCGCGGCTGCTGCGGCTGGTGCAGTGGCGCG  
GAAGCTGGATCGCTACTCAGAGTACGGCGCGGCGGTGCTGTTCTTGCTCATGTGCACCTTTGCGCTCATC  
GCGCACTGGTAGCCTGCATCTGGTACGCCATCGGCAACATGGAGCAGCCACACATGGACTACGCATCG  
GCTGGCTGCACAACCTGGGCGACCAGATAGGCAAACCTACAACAGCAGCGGCTGGGCGGCCCCCCTCAT  
CAAGGACAAGTATGTGACGGCGCTCTACTTCACCTTCAGCAGCCTCACCAGTGTGGGCTTCGGCAACGTC  
TCTCCCAACCAACTCAGAGAAGATCTTCTCCATCTGCGTCATGCTCATTGGCTCCCTCATGTATGCTA  
GCATCTTCGGCAACGTGTGCGCCATCATCCAGCGGCTGTACTCGGGCACAGCCCGTACCACACACAGAT  
GCTGCGGGTGCGGGAGTTCATCCGCTTCCACCAGATCCCCAATCCCCTGCGCCAGCGCCTCGAGGAGTAC  
TTCCAGCAGCGCTGGTCTACACCAACGGCATCGACATGAACGCGGTGCTGAAGGGCTTCCCTGAGTGCC  
TGCAGGCTGACATCTGCCTGCACCTGAACCGCTACTGCTGCAGCACTGCAAACCTTCCGAGGGGCCAC  
CAAGGGCTGCCTTCGGGCGCTGGCCATGAAGTTCAAGACCACACATGCACCGCCAGGGGACACACTGGT  
CATGCTGGGGACCTGCTACCGCCCTGTACTTCATCTCCCGGGCTCCATCGAGATCCTGCGGGGCGACG  
TCGTCGTGGCCATCCTGGGAAGAATGACATCTTTGGGGAGCCTCTGAACCTGTATGCAAGGCTGGCAA  
GTCGAACGGGGATGTGCGGGCCCTCACCTACTGTGACCTACACAAGATCCATCGGGACGACTGCTGGAG  
GTGCTGGACATGTACCCTGAGTTCTCCGACCCTTCTGGTCCAGCCTGGAGATCACCTTCAACCTGCGAG  
ATACCAACATGATCCCGGGCTCCCCGGCAGTACGGAGTTAGAGGGTGGCTTCAGTCGGCAACGCAAGCG  
CAAGTTGTCTTCCGAGGCGCACGGACAAGGACACGGAGCAGCCAGGGGAGGTGTGCGCCTTGGGGCCG  
GGCCGGGCGGGGCGAGGCGGAGTAGCCGGGGCCGGCCGGGGGGCCGTGGGGGAGAGCCCGTCCAGTG  
GCCCCCAGCCCTGAGAGCAGTGAGGATGAGGGCCAGGCCGACGCTCCAGCCCCCTCCGCTGGTGCC  
CTTCTCCAGCCCCAGGCCCCCCGGAGAGCCCGGGTGGGAGCCCTGATGGAGGACTGCGAGAAGAGC  
AGCGCACTTGCAACCCCTGTCAGGCGCTTCTCAGGAGTGTCCAACATTTTCAGTCTCTGGGGGACA  
GTCGGGGCGCCAGTACCAGGAGCTCCCTCGATGCCCGCCCCACCCCCAGCCTCCTCAACATCCCCCT  
CTCCAGCCCCGGTTCGGCGCCCCGGGGCGACGTGGAGAGCAGGCTGGATGCCCTCCAGCGCCAGTCAAC  
AGGCTGGAGACCCGGCTGAGTGCAGACATGGCCACTGTCCTGCAGCTGCTACAGAGGCAGATGACGCTGG  
TCCCGCCGCTACAGTCTGTGACCACCCGGGGCTGGCCCCACTTCCACATCCCGCTGTTGCCGT  
CAGCCCCCTCCCCACCCTCACCTTGGACTCGTTTTCTCAGGTTTCCAGTTTCATGGCGTGTGAGGAGCTG  
CCCCGGGGGCCAGAGCTTCCCAAGAAGGCCCCACACGACGCTCTCCCTACCGGGCCAGCTGGGGG  
CCCTCACCTCCAGCCCCGACAGACACGGCTCGGACCCGGGCACT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA




|                               |   |
|-------------------------------|---|
| <b>OTI Disclaimer:</b>        | Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery. |
|                               | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>  |
| <b>OTI Annotation:</b>        | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.  |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).  |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>   |
| <b>RefSeq:</b>                | <a href="#">NM_000238.4</a>   |
| <b>RefSeq Size:</b>           | 3900 bp   |
| <b>RefSeq ORF:</b>            | 3480 bp   |
| <b>Locus ID:</b>              | 3757  |
| <b>UniProt ID:</b>            | <a href="#">Q12809</a>  |
| <b>Cytogenetics:</b>          | 7q36.1  |
| <b>Protein Families:</b>      | Druggable Genome, Ion Channels: Potassium, Transcription Factors, Transmembrane   |
| <b>MW:</b>                    | 126.5 kDa   |
| <b>Gene Summary:</b>          | This gene encodes a voltage-activated potassium channel belonging to the eag family. It shares sequence similarity with the Drosophila ether-a-go-go (eag) gene. Mutations in this gene can cause long QT syndrome type 2 (LQT2). Transcript variants encoding distinct isoforms have been identified. [provided by RefSeq, Jul 2008]   |

Product images:



Circular map for RC215928



Western blot validation of overexpression lysate (Cat# [LY400090]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC215928 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).