

## Product datasheet for RC215930

### PVRL1 (NECTIN1) (NM\_203286) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	PVRL1 (NECTIN1) (NM_203286) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PVRL1
Synonyms:	CD111; CLPED1; ED4; HlgR; HV1S; HVEC; nectin-1; OFC7; PRR; PRR1; PVRL1; PVRR; PVRR1; SK-12
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC215930 representing NM_203286 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGCTCGGATGGGGCTTGCGGGCGCCGCTGGACGCTGGTGGGACTCGCTCTCGGCTTGACCGCATTCT  
TCCTCCCAGGCGTCCACTCCCAGGTGGTCCAGGTGAACGACTCCATGTATGGCTTCATCGGCACAGACGT  
GGTTCTGCACTGCAGCTTGCCAACCCGCTTCCAGCGTGAAGATCACCCAGGTACATGGCAGAAGTCC  
ACCAATGGCTCCAAGCAGAACGTGGCCATCTACAACCCATCCATGGCGTGTCCGTGCTGGCTCCCTACC  
GCGAGCGTGTGGAATTCCTGCGGCCCTCTTACCAGTGGCACTATCCGCTCTCCCGCTGGAGCTGGA  
GGATGAGGGTGTCTACATCTGCGAGTTTGTACCTTCCCTACGGCAATCGAGAAAGCCAGTCAATCTC  
ACGGTGTGGCCAAACCCACCAATTGGATAGAGGGTACCCAGGCAGTGTTCGAGCCAAGAAGGGGCAGG  
ATGACAAGGTCTGGTGGCCACCTGCACCTCAGCCAATGGGAAGCCTCCCAGTGTGGTATCTGGGAAAC  
TCGGTTAAAAGGTGAGGCAGAGTACCAGGAGATCCGGAACCCCAATGGCACAGTGACGGTATCAGCCG  
TACCGCTGGTGGCCAGCAGGAAGCCACCAGCAGTCTTGGCCTGCATCGTCACTACCACATGGACC  
GCTTCAAGGAAAGCCTCACTCTCAACGTGCAGTATGAGCCTGAGGTAACCAATTGAGGGGTTTGTGGCAA  
CTGGTACTGCAGCGGATGGACGTGAAGCTCACCTGCAAAGCTGATGCTAACCCCCAGCCACTGAGTAC  
CACTGGACCACGCTAAATGGCTCTCTCCCAAGGGTGTGGAGGCCAGAACAGAACCCCTCTTCTCAAGG  
GACCCATCAACTACAGCCTGGCAGGGACCTACATCTGTGAGGCCACCAACCCATCGGTACACGCTCAGG  
CCAGGTGGAGGTCAATATCACAGCTTCTGTCACTTATCTATCCGGGCAAAGGGAGGACAAGAGCTAGG  
ATGTTT

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



**Protein Sequence:** >RC215930 representing NM\_203286  
Red=Cloning site Green=Tags(s)

MARMGLAGAAGRWWGLALGLTAFFLPGVHSQVVQVNDSDMYGFIGTDVVLHCSFANPLPSVKITQVTWQKS  
 TNGSKQNVAIYNPSMGVSVLAPYRERVEFLRPSFTDGTIRLSRLELEDEGVYICEFATFPTGNRESQLNL  
 TVMAKPTNWIETQAVLRAKKGQDDKVLVATCTSANGKPPSVVSWETRLKGEAEYQEIRNPNGTVTVISR  
 YRLVPSREAHQQSLACIVNYHMDRFKESLTLNVQYEPEVTIEGFDGNWYLQRMVDKLTCKADANPPATEY  
 HWTTLNGSLPKGVEAQNRTLFFKGPINYSLAGTYICEATNPIGTRSGQVEVNITAFQCQLIYPGKGRTRAR  
 MF

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mk8054\\_c12.zip](https://cdn.origene.com/chromatograms/mk8054_c12.zip)

**Restriction Sites:** Sgfl-MluI

**Cloning Scheme:**



**ACCN:** NM\_203286

**ORF Size:** 1056 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_203286.2](#)

**RefSeq Size:** 1451 bp

**RefSeq ORF:** 1059 bp

**Locus ID:** 5818

**UniProt ID:** [Q15223](#)

**Cytogenetics:** 11q23.3


**Protein Families:** Druggable Genome, ES Cell Differentiation/IPS, Transmembrane

**Protein Pathways:** Adherens junction, Cell adhesion molecules (CAMs)


**MW:** 36 kDa

**Gene Summary:** This gene encodes an adhesion protein that plays a role in the organization of adherens junctions and tight junctions in epithelial and endothelial cells. The protein is a calcium(2+)-independent cell-cell adhesion molecule that belongs to the immunoglobulin superfamily and has 3 extracellular immunoglobulin-like loops, a single transmembrane domain (in some isoforms), and a cytoplasmic region. This protein acts as a receptor for glycoprotein D (gD) of herpes simplex viruses 1 and 2 (HSV-1, HSV-2), and pseudorabies virus (PRV) and mediates viral entry into epithelial and neuronal cells. Mutations in this gene cause cleft lip and palate/ectodermal dysplasia 1 syndrome (CLPED1) as well as non-syndromic cleft lip with or without cleft palate (CL/P). Alternative splicing results in multiple transcript variants encoding proteins with distinct C-termini. [provided by RefSeq, Oct 2009]

Product images:



Circular map for RC215930



Western blot validation of overexpression lysate (Cat# [LY404370]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC215930 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).