

Product datasheet for RC215943L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Importin 7 (IPO7) (NM 006391) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Importin 7 (IPO7) (NM_006391) Human Tagged ORF Clone Lentiviral Particle

Symbol: Importin 7

Synonyms: Imp7; RANBP7

Mammalian Cell

Puromycin

NM 006391

Selection:

Vector:

ACCN:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ORF Size: 3114 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC215943).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 006391.1

 RefSeq Size:
 3557 bp

 RefSeq ORF:
 3117 bp

 Locus ID:
 10527

 UniProt ID:
 095373

 Cytogenetics:
 11p15.4

Domains: IBN NT

Protein Families: Druggable Genome





MW: 119.3 kDa

Gene Summary:

The importin-alpha/beta complex and the GTPase Ran mediate nuclear import of proteins with a classical nuclear localization signal. The protein encoded by this gene is a member of a class of approximately 20 potential Ran targets that share a sequence motif related to the Ran-binding site of importin-beta. Similar to importin-beta, this protein prevents the activation of Ran's GTPase by RanGAP1 and inhibits nucleotide exchange on RanGTP, and also binds directly to nuclear pore complexes where it competes for binding sites with importin-beta and transportin. This protein has a Ran-dependent transport cycle and it can cross the nuclear envelope rapidly and in both directions. At least four importin beta-like transport receptors, namely importin beta itself, transportin, RanBP5 and RanBP7, directly bind and import ribosomal proteins. [provided by RefSeq, Jul 2008]