

## Product datasheet for RC215977L2V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## ADCY9 (NM\_001116) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** ADCY9 (NM\_001116) Human Tagged ORF Clone Lentiviral Particle

Symbol: ADCY9

**Synonyms:** AC9; ACIX

Mammalian Cell

Selection:

None

Vector:

pLenti-C-mGFP (PS100071)

Tag: mGFP

**ACCN:** NM\_001116 **ORF Size:** 4059 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC215977).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 001116.2

RefSeq Size:7732 bpRefSeq ORF:4062 bp

Locus ID: 115

 UniProt ID:
 060503

 Cytogenetics:
 16p13.3

**Protein Families:** Druggable Genome, Transmembrane





## ADCY9 (NM\_001116) Human Tagged ORF Clone Lentiviral Particle - RC215977L2V

**Protein Pathways:** Calcium signaling pathway, Chemokine signaling pathway, Dilated cardiomyopathy, Gap

junction, GnRH signaling pathway, Melanogenesis, Oocyte meiosis, Progesterone-mediated oocyte maturation, Purine metabolism, Vascular smooth muscle contraction, Vibrio cholerae

infection

MW: 150.5 kDa

**Gene Summary:** Adenylate cyclase is a membrane bound enzyme that catalyses the formation of cyclic AMP

from ATP. It is regulated by a family of G protein-coupled receptors, protein kinases, and calcium. The type 9 adenylyl cyclase is a widely distributed adenylyl cyclase, and it is

stimulated by beta-adrenergic receptor activation but is insensitive to forskolin, calcium, and

somatostatin. [provided by RefSeq, Jul 2008]