

Product datasheet for RC216036L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

NDUFS8 (NM_002496) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: NDUFS8 (NM_002496) Human Tagged ORF Clone Lentiviral Particle

Symbol: NDUFS8

Synonyms: CI-23k; CI23KD; MC1DN2; TYKY

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 002496

ORF Size: 630 bp

ORF Nucleotide

OTI Disclaimer:

The ORF insert of this clone is exactly the same as(RC216036).

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 002496.1</u>

 RefSeq Size:
 779 bp

 RefSeq ORF:
 633 bp

 Locus ID:
 4728

 UniProt ID:
 000217

 Cytogenetics:
 11q13.2

 Domains:
 fer4





NDUFS8 (NM_002496) Human Tagged ORF Clone Lentiviral Particle - RC216036L1V

Protein Pathways: Alzheimer's disease, Huntington's disease, Metabolic pathways, Oxidative phosphorylation,

Parkinson's disease

MW: 23.71 kDa

Gene Summary: This gene encodes a subunit of mitochondrial NADH:ubiquinone oxidoreductase, or Complex

l, a multimeric enzyme of the respiratory chain responsible for NADH oxidation, ubiquinone reduction, and the ejection of protons from mitochondria. The encoded protein is involved in

the binding of two of the six to eight iron-sulfur clusters of Complex I and, as such, is

required in the electron transfer process. Mutations in this gene have been associated with

Leigh syndrome. [provided by RefSeq, Mar 2010]