

## Product datasheet for RC216121L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## VPS16 (NM\_022575) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

**Product Type:** Lentiviral Particles

**Product Name:** VPS16 (NM\_022575) Human Tagged ORF Clone Lentiviral Particle

Symbol: VPS16

Synonyms: DYT30; hVPS16

**Mammalian Cell** 

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 022575

ORF Size: 2517 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC216121).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 022575.2

 RefSeq Size:
 2769 bp

 RefSeq ORF:
 2520 bp

 Locus ID:
 64601

 UniProt ID:
 Q9H269

 Cytogenetics:
 20p13

**Domains:** Vps16\_C, Vps16\_N

**Protein Families:** Druggable Genome





ORIGENE

**MW:** 94.5 kDa

**Gene Summary:** 

Vesicle mediated protein sorting plays an important role in segregation of intracellular molecules into distinct organelles. Genetic studies in yeast have identified more than 40 vacuolar protein sorting (VPS) genes involved in vesicle transport to vacuoles. This gene encodes the human homolog of yeast class C Vps16 protein. The mammalian class C Vps proteins are predominantly associated with late endosomes/lysosomes, and like their yeast counterparts, may mediate vesicle trafficking steps in the endosome/lysosome pathway. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2009]