

## Product datasheet for **RC216210**

### UGT1A7 (NM\_019077) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	UGT1A7 (NM_019077) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	UGT1A7
Synonyms:	GNT1; hUG-BR1; UDPGT; UDPGT 1-7; UGT-1A; UGT-1G; UGT1; UGT1-01; UGT1-07; UGT1.1; UGT1.7; UGT1A; UGT1A1; UGT1G
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RC216210 representing NM\_019077  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGCTCGTGCAGGGTGGACTGGCCTCCTTCCCCTATATGTGTGTCTACTGCTGACCTGTGGCTTTGCCA  
 AGGCAGGGAAGCTGCTGGTAGTGCCCATGGATGGGAGCCACTGGTTCACCATGCAGTCGGTGGTGGAGAA  
 ACTCATCCTCAGGGGCATGAGGTGGTCGTAGTCATGCCAGAGGTGAGTTGGCAACTGGGAAGATCACTG  
 AATTGCACAGTGAAGACTTACTCAACCTCATACACTCTGGAGGATCAGGACCGGGAGTTCATGGTTTTTG  
 CCGATGCTCGCTGGACGGCACCATTGCGAAGTGCATTTTCTCTATTAACAAGTTCATCCAATGGTATTTT  
 TGACTTATTTTTTCAAATTGCAGGAGTTTGTAAATGACCGAAAATTAGTAGAATACTTAAAGGAGAGT  
 TGTTTTGATGCAGTGTTCGATCCTTTTGATGCCTGTGGCTAATTGTTGCCAAATATTTCTCCCTCC  
 CCTCTGGTCTTCGCCAGGGGAATATTTGCCACTATCTTGAAGAAGGTGCACAGTGCCTGCTCTCT  
 TTCCTATGTCCCAGACTTCTTAGGGTCTCAGACGCCATGACTTCAAGGAGAGAGTATGGAACCAC  
 ATCATGCACTGGAGGAACATTTATTTGCCCTATTTTTCAAAAATGTCTTAGAAATAGCCTCTGAAA  
 TTCTCAAACCCCTGTCACGGCATATGATCTCTACAGCCACACATCAATTTGGTGTGGCAACTGACTT  
 TGTTTTGGAGTATCCAAACCCGTGATGCCAATATGATCTTCATTGGTGGTATCAACTGTCATCAGGGA  
 AAGCCAGTGCCTATGGAATTTGAAGCCTACATTAATGCTTCTGGAGAACATGGAATTGGGTTTTCTCTT  
 TGGGATCAATGGTCTCAGAAATTCAGAGAAGAAAGCTATGGCAATTGCTGATGCTTTGGGCAAAATCCC  
 TCAGACAGTCTTGGCGGTACACTGGAACCCGACCATCGAATCTTGGCAACAACACGATACTTGTAAAG  
 TGGTACCCCAAAACGATCTGCTTGGTCACCCGATGACCCGTGCCTTTATCACCCATGCTGGTCCCATG  
 GTGTTTATGAAAGCATATGCAATGGCGTCCCATGGTGATGATGCCCTTGTGGTGGTATGAGACAA  
 TGCAAAGCGCATGGAGACTAAGGGAGCTGGAGTGACCCTGAATGTTCTGGAAATGACTTCTGAAGATTTA  
 GAAAATGCTCTAAAAGCAGTCAATGACAAAAGTTACAAGGAGAACATCATGCGCCTCTCCAGCCTTC  
 ACAAGGACCGCCCGTGGAGCCGCTGGACCTGGCCGTGTTCTGGGTGGAGTTTGATGAGGCACAAGGG  
 CGCGCCACACCTGCGCCCGCAGCCACGACCTCACCTGGTACCAGTACCATTCTTGGACGTGATTGGT  
 TTCCTCTGGCCGTGCTGCTGACAGTGGCCTTCATCACCTTTAAATGTTGTGCTTATGGCTACCGGAAAT  
 GCTTGGGAAAAAAGGGCGAGTTAAGAAAGCCCAAAATCAAGACCCAT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**

>RC216210 representing NM\_019077  
 Red=Cloning site Green=Tags(s)

MARAGWTGLLPLYVCLLLTCGFAGKAGKLLVVPMDGSHWFTMQSVVEKILIRGHEVVVMPEVSWQLGRSL  
 NCTVKTYSTSYTLEDQDREFMVFADARWTAPLRSFSLTSSSNGIFDLFFSNCRSLFNDRKLVYELKES  
 CFDAVFLDPFDACGLIVAKYFSLPSVVFARGIFCHYLEEGAQCPAPLSYVPRLLLGFSDAMTFKERVVNH  
 IMHLEEHLFCPYFFKNVLEIASEILQTPVTAYDLYSHTSIWLLRTDFVLEYPKPVMPNMIFIGGINCHQG  
 KPVPMEFEAYINASGEHGIVVFSLSMSEIPEKKAMAIADALGKIPQTVLWRYTGTRPSNLANNTILVK  
 WLPQNDLLGHPMTRAFITHAGSHGVYESICNGVPMVMPLFGDQMDNAKRMETKGAGVTLNVLEMTSEDL  
 ENALKAVINDKSYKENIMRLSSLHKDRPVEPLDLAVFWVEFVMRHKGAPHLRPAAHDLTWYQYHSLDVI  
 FLLAVVLTVAFITFKCCAYGRKCLGKKGRVKKAHKSKTH

**TR**TRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:**

[https://cdn.origene.com/chromatograms/mk8017\\_c07.zip](https://cdn.origene.com/chromatograms/mk8017_c07.zip)

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**


**ACCN:** NM\_019077

**ORF Size:** 1590 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
  2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
  3. Close the tube and incubate for 10 minutes at room temperature.
  4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
  5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_019077.2](#), [NP\\_061950.2](#)

**RefSeq Size:** 2333 bp

**RefSeq ORF:** 1593 bp

**Locus ID:** 54577

**UniProt ID:** [Q9HAW7](#)

**Cytogenetics:** 2q37.1


**Protein Families:** Transmembrane

**Protein Pathways:** Androgen and estrogen metabolism, Ascorbate and aldarate metabolism, Drug metabolism - cytochrome P450, Drug metabolism - other enzymes, Metabolic pathways, Metabolism of xenobiotics by cytochrome P450, Pentose and glucuronate interconversions, Porphyrin and chlorophyll metabolism, Retinol metabolism, Starch and sucrose metabolism

**MW:** 57.1 kDa

**Gene Summary:** This gene encodes a UDP-glucuronosyltransferase, an enzyme of the glucuronidation pathway that transforms small lipophilic molecules, such as steroids, bilirubin, hormones, and drugs, into water-soluble, excretable metabolites. This gene is part of a complex locus that encodes several UDP-glucuronosyltransferases. The locus includes thirteen unique alternate first exons followed by four common exons. Four of the alternate first exons are considered pseudogenes. Each of the remaining nine 5' exons may be spliced to the four common exons, resulting in nine proteins with different N-termini and identical C-termini. Each first exon encodes the substrate binding site, and is regulated by its own promoter. The enzyme encoded by this gene has moderate glucuronidase activity with phenols. [provided by RefSeq, Jul 2008]

**Product images:**



Circular map for RC216210