

Product datasheet for RC216239

SHANK2 (NM_133266) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SHANK2 (NM_133266) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	SHANK2
Synonyms:	AUTS17; CORTBP1; CTTNBP1; ProSAP1; SHANK; SPANK-3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC216239 representing NM_133266 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGATGATGAACGTCCCCGGGGAGGAGCGGCCGCGGTGATGATGACGGGCTACAATAATGGTCGCTGTC
CCCGGAATTCTCTCTACAGTGACTGCATTATTGAGGAGAAGACGGTGGTCTGCAGAAAAAGACAATGA
GGGCTTTGGATTCGTGCTTCGAGGGGCCAAAGCTGACACACCCATTGAAGAATTCACACCAACACCGGCT
TCCCAGCCCTACAGTACCTGGAGTCCGTGGATGAAGGTGGGTGGCGTGCCAAGCCGGACTAAGGACCG
GGGACTTCTTGATTGAGGTTAACAATGAGAATGTTGTCAAAGTCGCCACAGGCAGGTGGTGAACATGAT
CCGGCAGGGAGGGAATCACCTGGTCCTTAAGGTGGTCACGGTGACCAGGAATCTGGACCCCGACGACACC
GCCAGGAAGAAAGCTCCCCGCCTCAAAGCGGGCACCGACCACAGCCCTCACCTGCGCTCCAAGTCCA
TGACCTCGGAGCTGGAGGAGCTCGTGGATAAAGCCTCGGTCCGGAAGAAGAAGGATAAACCCGAGGAGAT
AGTCCCGGCCTCCAAGCCCTCCCGCGTCTGAGAACATGGCTGTGGAACCGAGGGTGGCGACCATCAAG
CAGCGGCCCAGCAGCCGGTGTTCCCCGCGGGCTCAGACATGAACTCTGTGTACGAACGCCAAGGAATCG
CCGTGATGACGCCACTGTTCTGGGAGCCAAAGCCCCGTTTCTGGGCATCCCTCGAGGTACGATGCC
AAGGCAGAAATCAATAGACAGCAGAATCTTTCTATCAGGAATAACAGAGGAAGAGCGGCAGTTTCTGGCT
CCTCCAATGCTGAAGTTCACCAGAAGCCTGTCCATGCCGGACACCTCTGAGGACATCCCCCTCCACCGC
AGTCTGTGCCCCCGTCCCACCACCACCTTCCCCAACCTTACAACCTGCCCAAGTCCCCAACTCCAAG
AGTCTACGGGACGATTAAGCCTGCGTTCATCAGAATTCTGCCGCAAGGTGTCCCCCGCCACCAGGTCC
GACACCGTGGCCACCATGATGAGGGAGAAGGGATGTACTTCCAGGAGAGAGCTGGACCGCTACTCCTTGG
ACTCTGAAGACCTCTACAGTCGGAATGCCGGCCCGCAAGCCAACTTCCGCAACAAGAGAGCCAGATGCC
AGAAAACCCATACTCAGAGGTGGGAAGATCGCCAGCAAAGCCGTCTACGTCCCCCGCAAGCCCGCCAGG
CGGAAGGGGATGCTGGTGAAGCAGTCCAACGTGGAGGACAGCCCCGAGAAGACGTGCTCCATCCCTATCC
CGACCATCATCGTGAAGGAGCCGTCCACCAGCAGCAGCGCAAGAGCAGCCAGGGCAGCAGCATGGAGAT
CGACCCCGAGCCCGGAGCCACCGAGCCAGCTGCGGCCTGACGAAAGCCTGACCGTCAGCAGCCCTTT



[View online »](#)

GCCGCCGCATCGCCGGAGCCGTCCGCGACCGTGAGAAGCGGCTGGAAGCCAGGAGGAAC TCCCGGCCCT
TCCTCTCCACAGACCTGGGGGATGAGGATGTGGGCCTGGGGCCACCCGCCCCAGGACGCGGCCCTCCAT
GTTCCCGGAGGAGGGGATTTTGTCTGACGAGGACAGCGCTGAGCAGCTGTATCCCCATGCCGAGTGCC
ACGCCCAGGGAGCCGAAAACATTTTGTGCGGTGGCGCCGAGGCCAGTGTCCGGGTGAGGCTGGGAGGC
CGCTGAATTCACGTCAAAGCCAGGGGCCGAGAGCAGCCAGCAGTGCCTCCGCGAGCAGCGGCAC
AGCCGGCCCGGAATTATGTCCACCCACTCACAGGGCGGCTGCTTGATCCCAGCTCCCCGTGGCCCTG
GCACTCTCCGCAAGGGACCGACCATGAAGGAGTCTCAACAGGGACCCAAAGGGGAGGCCCCCAAGGCCG
ACCTCAACAAACCTCTTTACATTGATACCAAAATGCGGCCAGCCTGGATGCCGGCTTCCCTACGGTCAC
CAGGCAGAACACCCGGGGACCCCTGAGGCGGCAGGAGACGGAGAACAAGTACGAGACCGACCTGGGCCGA
GACCGAAAGGCGATGACAAGAAGAATGCTGATCGACATCATGGACACGTCCCAGCAGAAGTCGGCTG
GCCTGCTGATGGTGACACCCGTGGACGCCACTAAGCTGGACAACGCCCTGCAGGAAGAGGACGAGAAGGC
AGAGGTGGAGATGAAGCCAGACAGCTCGCCGTCCGAGGTGCCAGAAGGTGTTTCCGAAACCGAAGGTGCT
TTACAGATCTCCGCTGCCCCGAGCCACCACCGTCCCGGCAGAACCATCGTCGCGGTGGGCTCCATGG
AAGAGGCGGTGATTTTGCATTCCGCATCCCTCCTCCCCCTCTGGCATCCGTGGACTTGATGAGGATTT
TATTTTTACAGAGCCATTGCCTCCTCCCCTGGAATTTGCAAATAGTTTTGATATCCCGATGACCCGGCA
GCTTCTGTCCCGCTCTCTCAGACTTAGTGAAGCAGAAGAAAAGCGACACCCCTCAGTCCCTTCGTGGA
ACTCCAGCCAACCAACCACTCTGCAGACAGCAAGAAGCCAGCCAGTCTTTCAAACCTGTCTGCCTGCCTC
ATTCCTGCCACCCCTGAAAGCTTTGACGCCGTGCGCCACTCTGGGATCGAGGAGGTGGACAGCCGGAGT
AGCAGCGACACCACCTCGAGACGACCAGCACTATCTCCACCGTGTCTAGCATCTCCACCCTGTCTTCCG
AAGGTGGAGAGATGTGGACACCTGCACAGTCTATGCAGATGGGCAAGCATTTATGGTTGACAAACCCCC
AGTACCTCCTAAGCAAAAATGAAGCCATCATTCAAAAAGCAATGCACTTTATCAAGACGCGCTCGTG
GAAGAAGATGTAGATAGCTTTGTTATCCCCCGCCCGCTCCCCGCCCCCGCCGGGACGTGCCAGCCTG
GGATGGCCAAGTTCTCCAGCCAAGGACCTCAAGTTGTGGGGGACGTACAGAGATCAAAGCCCGAT
TCTCTCAGGCCCAAAGGCAACGTTATTAGTGAATTGAACTCTATCCTACAGCAAATGAACCGAGAGAAA
TTGGCAAAGCCGGGGAAAGGACTGGATTACCAATGGGAGCCAAGTCCGCCAGCCTCGCTCCAAGAAGCC
CGGAGATCATGAGCACCATCTCAGGTACACGGAGCAGCAGGTCACCTTCACTGTTGCCCCGGCACCTC
CCAGCCCATCACCTGCAGAGCCGGCCCCCGACTATGAAAGCAGGACCTCAGGAACAAGACGTGCCCA
AGCCCTGTGGTCTCGCCAACAGAGATGAACAAAGAGACCCTGCCCGCCCCCTGTCTGCTGCCACCGCT
CTCCTTCTCCCGCTCTCTCAGATGTCTTTAGCCTTCCAAGCCAGCCCCCTTCTGGGGATCTATTTGGCT
GAACCCAGCGGGACGCAGTAGGTCGCCATCCCCCTCGATACTGCAACAGCCAATCTCAAATAAGCCTTTT
ACAACCTAACCTGTCCACCTGTGGACTAAACCAGATGTGGCCGATTGGCTGGAAAGTCTAAACTTGGGTG
AACATAAAGAGGCCTTCATGGACAATGAGATCGATGGCAGTCACTTACCAAACCTGCAGAAGGAGGACCT
CATCGATCTTGGGTAACCTCGAGTCGGGCACAGAATGAACATAGAAGGGCTTTGAAACAGCTGCTGGAC
AGA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC216239 representing NM_133266
Red=Cloning site Green=Tags(s)

```

MMMNVPGGAAAVMMTGYNNGRCPRNSLYSDCIIEEKTIVLQKKDNEGFVLRGAKADTPIEEFTPTPA
FPALQYLESVDEGGVAWQAGLRTGDFLIEVNNENVVKVGHQRQVVMIRQGGNHLVLKVVTVTRNLDPDDT
ARKKAPPPPKRAPTALTLRSKSMSELEELVDKASVRKKKDKPEEIVPASKPSRAAENMAVEPRVATIK
QRPSSRCFPAGSDMNSVYERQGIAMTPTVPGSPKAPFLGIPRGTMRQKSIDSRIFLSGITEEERQFLA
PPMLKFTRSLMPDTSIEDIPPPQSVPPSPPPSPTTYNCPKSPTRVYGTIKPAFNQNSAAKVSPATRS
DTVATMMREKGMVFRRELDYSLDSEDLYSRNAGPQANFRNKRQMPENPYSEVGKIASKAVYVPAKPAR
RKGMLVKQSNVEDSPEKTCIPIPTIIVKEPSTSSSGKSSQGSSMEIDPQAPEPPSQLRPDESLTVSSPF
AAAIAGAVRDREKRLARRNSPAFLSTDLGDEDVGLGPPAPRTRPSMFPEEGDFADESAEQLSSMPSPA
TPREPENHFVGGAEASAPGEAGRPLNSTSKAQGPESPAPVPSASSGTAGPGNYVHPLTGRLLDPSSPLAL
ALSARDRAMKESQQGPKEAPKADLNKPLYIDTKMRPSLDAGFPTVTRQNRGRLRRQETENKYETDLGR
DRKGDDKKNMLIDIMDTSQOKSAGLLMVHTVDATKLDNALQEEDKAKEVEMKPDSSPSEVPEGVSETEGA
LQISAAPEPTTVPGRTIVAVGSMEEAVILPFRIPPPPLASVDLDEDFIFTEPLPPPLEFANSFDIPDDRA
ASVPALSDLVKQKSDTPQSPSLNSSQPTNSADSKKPASLSNCLPASFLPPPEFSDAVADSGIEEVDSRS
SSDHHLETTSTISTVSSI STL SSEGGENVDCTVYADGQAFMVDKPPVPPKPKMKPIIHKSNALYQDALV
EEDVDSFVIPPAPPPPPGSAQPGMAKVLQPRTSKLGWDVTEIKSPILSGPKANVISELNSILQQMNREK
LAKPGGLDSPMGAKSASLAPRSPEIMTISGTRSTTVTFVTRPGTSQPITLQSRPPDYERTSGTRRAP
SPVVSPTMKNKETLPAPLSAATASPSALSDVFSLSQPPSGDLFGLNPAGRSRSPSPSILQQPISNKNPF
TTKPVHLWTKPDVADWLESLNLGEHKEAFMDNEIDGSHLPNLQKEDLIDLGVTRVGHMRMNIERALKQLLD
R
    
```


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_133266

ORF Size: 3783 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_133266.5](#)

RefSeq Size: 8872 bp

RefSeq ORF: 3786 bp

Locus ID: 22941


UniProt ID: [Q9UPX8](#)

Cytogenetics: 11q13.3-q13.4

MW: 135.7 kDa

Gene Summary:

This gene encodes a protein that is a member of the Shank family of synaptic proteins that may function as molecular scaffolds in the postsynaptic density of excitatory synapses. Shank proteins contain multiple domains for protein-protein interaction, including ankyrin repeats, and an SH3 domain. This particular family member contains a PDZ domain, a consensus sequence for cortactin SH3 domain-binding peptides and a sterile alpha motif. The alternative splicing demonstrated in Shank genes has been suggested as a mechanism for regulating the molecular structure of Shank and the spectrum of Shank-interacting proteins in the postsynaptic densities of the adult and developing brain. Alterations in the encoded protein may be associated with susceptibility to autism spectrum disorder. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Feb 2014]

Product images:


Circular map for RC216239