

## Product datasheet for **RC216342**

### **FOXP1 (NM\_001012505) Human Tagged ORF Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** FOXP1 (NM\_001012505) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** FOXP1  
**Synonyms:** 12CC4; hFKH1B; HSPC215; MFH; QRF1  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**ORF Nucleotide Sequence:** >RC216342 representing NM\_001012505  
**Red=Cloning site Blue=ORF Green=Tags(s)**

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**GCGATCGCC**

**ATGATGCAAGAATCTGGGACTGAGACAAAAAGTAACGGTTCAGCCATCCAGAATGGGTCGGCGGCAGCA  
ACCACTTACTAGAGTGC GGCGGTCTTCGGAGGGGCGGTCCAACGGAGAGACGCCGGCCGTGGACATCGG  
GGCAGCTGACCTCGCCACGCCAGCAGCAGCAACAGTGGCATCTCATAAACCATCAGCCCTTAGG  
AGTCCCAGCAGTTGGCTTAAGAGACTAATTTCAAGCCCTTGGGAGTTGGAAGTCCTGCAGGTCCCTTGT  
GGGAGCAGTTGCTGAGACGAAGATGAGTGGACCTGTGTGCAGCCTAACCCCTCCCATTT**

**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA**

**Protein Sequence:** >RC216342 representing NM\_001012505  
**Red=Cloning site Green=Tags(s)**



MMQESGTETKSNLSAIQNGSGSNHLLCEGGLREGSRNGETPAVDIGAADLAHAQQQQQWHLINHQPSR  
SPSSWLKRLISSPWELEVLQVPLWGAVAETKMSGPVCQPNPSPF

**TRTRPLEQKLI SEEDLAANDILDYKDDDDKV**

**Restriction Sites:** Sgfl-MluI



[View online »](#)

**Cloning Scheme:**

**Plasmid Map:**


ACCN: NM\_001012505

ORF Size: 342 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001012505.2</a>
<b>RefSeq Size:</b>	937 bp
<b>RefSeq ORF:</b>	345 bp
<b>Locus ID:</b>	27086
<b>UniProt ID:</b>	<a href="#">Q9H334</a>
<b>Cytogenetics:</b>	3p13
<b>Protein Families:</b>	Transcription Factors
<b>MW:</b>	12.1 kDa
<b>Gene Summary:</b>	This gene belongs to subfamily P of the forkhead box (FOX) transcription factor family. Forkhead box transcription factors play important roles in the regulation of tissue- and cell type-specific gene transcription during both development and adulthood. Forkhead box P1 protein contains both DNA-binding- and protein-protein binding-domains. This gene may act as a tumor suppressor as it is lost in several tumor types and maps to a chromosomal region (3p14.1) reported to contain a tumor suppressor gene(s). Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]