

#### Product datasheet for RC216447L4

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### Angiotensin II Type 1 Receptor (AGTR1) (NM\_032049) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: Angiotensin II Type 1 Receptor (AGTR1) (NM 032049) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Angiotensin II Type 1 Receptor

Synonyms: AG2S; AGTR1B; AT1, AT1AR; AT1B; AT1BR; AT1R; AT2R1; HAT1R

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

**E. coli Selection:** Chloramphenicol (34 ug/mL)

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC216447).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_032049

ORF Size: 1077 bp





# Angiotensin II Type 1 Receptor (AGTR1) (NM\_032049) Human Tagged Lenti ORF Clone – RC216447L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 032049.1, NP 114438.1

RefSeq Size:2181 bpRefSeq ORF:1080 bp

Locus ID: 185 UniProt ID: <u>P30556</u>

Cytogenetics: 3q24

**Protein Families:** Druggable Genome, GPCR, Transmembrane

**Protein Pathways:** Calcium signaling pathway, Neuroactive ligand-receptor interaction, Renin-angiotensin

system, Vascular smooth muscle contraction

MW: 40.9 kDa

**Gene Summary:** Angiotensin II is a potent vasopressor hormone and a primary regulator of aldosterone


secretion. It is an important effector controlling blood pressure and volume in the

cardiovascular system. It acts through at least two types of receptors. This gene encodes the type 1 receptor which is thought to mediate the major cardiovascular effects of angiotensin II. This gene may play a role in the generation of reperfusion arrhythmias following restoration of blood flow to ischemic or infarcted myocardium. It was previously thought that a related gene, denoted as AGTR1B, existed; however, it is now believed that there is only one type 1 receptor gene in humans. Alternative splicing of this gene results in multiple transcript

variants. [provided by RefSeq, Aug 2020]



## **Product images:**



Circular map for RC216447L4