

Product datasheet for RC216465L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CDC2L1 (CDK11B) (NM_033486) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: CDC2L1 (CDK11B) (NM_033486) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: CDC2L1

Synonyms: CDC2L1; CDK11; CDK11-p46; CDK11-p58; CDK11-p110; CLK-1; p58; p58CDC2L1; p58CLK-1;

PITSLREA; PK58

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC216465).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_033486

ORF Size: 2346 bp





CDC2L1 (CDK11B) (NM_033486) Human Tagged Lenti ORF Clone - RC216465L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 033486.1</u>, <u>NP 277021.1</u>

RefSeq Size: 2486 bp RefSeq ORF: 2349 bp Locus ID: 984

 UniProt ID:
 P21127

 Cytogenetics:
 1p36.33

Protein Families: Druggable Genome, Transcription Factors

MW: 91.2 kDa


Gene Summary: This gene encodes a member of the serine/threonine protein kinase family. Members of this

kinase family are known to be essential for eukaryotic cell cycle control. Due to a segmental duplication, this gene shares very high sequence identity with a neighboring gene. These two genes are frequently deleted or altered in neuroblastoma. The protein kinase encoded by this gene can be cleaved by caspases and may play a role in cell apoptosis. Alternative splicing

results in multiple transcript variants. [provided by RefSeq, Apr 2014]



Product images:



Circular map for RC216465L3