

Product datasheet for RC216578

NCKAP1 (NM_205842) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NCKAP1 (NM_205842) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NCKAP1
Synonyms:	HEM2; NAP1; NAP125; p125Nap1
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC216578 representing NM_205842 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGTGCGGCTCAGTGCTGCAGCCCAGTCAGCAGAAGCTGGCGGAGAAGCTCACCATCTCAACGACCGGG
GCGTCGGCATGCTCACCCGCTCTACAACATCAAGAAGCAAGGACAAGTTTGAAGGCATGTGGAGACCC
CAAGGCAAACCATCCTATCTTATCGACAAAAACCTGGAATCTGCTGTGAAATTCATAGTCAGAAAATTC
CCTGCTGTAGAAACCCGCAACAACAATCAACAGCTTGCACAACACAGAAAGAAAAATCAGAGATTCTGA
AAAATCTGGCATTATATTAATTCACATTTGTAGATGTTATGGAATTTAAGGACCATGTTTGTGAATTGCT
GAATACTATTGACGTTTCCAAAGTCTTCTTTGATATTACTGTAACCTTTGATTTAACAAAGAACTACTTA
GATTTAATTATAACCTATAACAACATAATGATACTGCTGTCTCGAATTGAAGAAAGGAAGGCAATCATTG
GATTATACAACTATGCCCATGAAATGACTCATGGAGCAAGTGACAGAGAATACCCACGCCTTGGCCAGAT
GATTGTGGATTATGAAAACCTTTAAAGAAGATGATGGAAGAATTTGTACCCATAGCAAGTCTCTTTCA
GATGCACTAATTTCTCTCAAATGGTATATCCTCGAAGGAATCTTTCAGCTGACCAAGTGGAGAAATGCC
AGTTATTGAGCCTCATCAGTGCACCTAGTACAATGCTTAATCCAGCACAGTCCGACACTATGCCTTGTA
ATACCTCTCTTTGGATGCAATGGAAAAGTGGATTATCTTTGGCTTTATTTTGTGCCATGGGATCCTAAAT
ACTGACGCTACAGCACTGAACCTTTGAAAAGTACTCTTCAAAGTAGCTCTTGCCTCTCTCTCTTTCCGG
ATGAAGTTTTCCACATTCACAAAGCTGCAGAAGACTTATTTGTAACATACGAGGCTATAATAAAGCTAT
TAATGACATAAGAGAATGCAAGGAGGCAGCCGTGTACATGCTGGTTCAATGCACAGAGAAAGACGCAAG
TTTTTAAGATCTGCACTGAAGGAATTGGCTACTGTCTCTGATCAACCTGGATTGCTAGGTCCTCAAGG
CACTTTTTGTTTTATGGCATTATCCTTTGCCGTGATGAAATCATCTGGCTACTTCGTCATGCAGATAA
CATGCCAAAGAAGAGTGCAGACGACTTTATAGATAAGCACATTGCTGAATTAATATTTTACATGGAAGAA
CTTAGAGCACATGTGAGGAAATACGGACCTGTAATGCAGAGGTATTACGTGCAGTACCTTTCTGGCTTTG
ATGCTGTTGCTCAATGAACTCGTGCAGAATCTTTCTGTTTGCCTGAAGATGAATCAATCATCATGTC
CTCTTTTGTAACTATGACTTCCCTAAGTGTAAAACAAGTTGAAGATGGGGAAGTATTTGATTTCAGA
GGAATGAGATTAGATTGGTTTAGGTTACAGGCATATACTAGTGTCTCAAAGGCTTCACTTGGCCTTGCA



[View online »](#)

```
ATCACAGAGAACTTGAAAGATGATGAATACAATAATTTTTTCATACAAAAATGGTAGATTCCTTGGTGGAA
AATGTTGGTGGAAACATCAGATCTCTCCATATTTTGTATAGTCGTGCTTTTGTGAGAAAGATGTTTCAA
CAGTGTGGAGTACCCTCTCAATCAAGATACTCAATTGCATTTCCACTACTTTGCACCTATTTTATGA
GTTGCACGCATGAACTATGTCCAGAAGAGCGACATCATATTGGAGATCGCAGTCTTTCTTATGTAATAT
GTTCTAGATGAAATGGCCAAACAAGCTCGAAATCTCATACTGATATTTGCACAGAACAGTGTACCCTT
AGTGACCAGTTGCTACCCAAGCATTGTGCCAAAACATCAGTCAAGCAGTGAATAAGAAAACAAAAAAGC
AGACTGGTAAGAAAGGGGAACCTGAAAGGGAGAAACCAGGTGTTGAGAGCATGAGGAAAAACAGGCTGGT
TGTGACCAACCTTGATAAATTGCACACTGCACTTCTGAGTTATGCTTCTATAAATTATGTACCAAAC
ATGGTGGTATGGGAACATACCTTTACCCACAGAGAATATTTGACTTCTCATCTGAAATACGCTTTACCA
AGTCAATTGTTGGGATGACTATGTATAATCAAGCCACACAGGAAATGCAAAAACCTTCAGAACTTCTAAC
AAGTGTAAGAGCATACATGACCGTACTCCAGTCAATAGAAAACATGTGCAGATTGATATTACAAGAGTA
TTAATAATGTGCTTCTCAACAAAACACAACATTTAGACAGTCATGGAGAGCCAACCATTACAAGTCTAT
ACACAAATTGGTATTTGGAACTTTGTTACGACAAGTCAGCAATGGCCATATAGCATATTTCTGCAAT
GAAAGCGTTTGTGAACCTACCTACAGAAAATGAATTAACATTCATGCAGAGGAATATTCTGACATATCA
GAAATGAGGTCATTATCAGAACTACTAGGCCCATATGGTATGAAGTTTCTAAGTAAAGCCTTATGTGGC
ATATTTTCATCACAAGTTGCTGAACCTTAAGAAAACCTTGGTGGGAGAATGTTGATGTGTTAACACAAATGAG
GACCAGCTTTGACAAACCAGACCAGATGGCTGCACTGTTAAAAGATTATCATCTGTTGACAGTGTCTTG
AAGAGGATGACAATAATTGGTGTATTTTATCCTTCCGATCATTGGCACAAGAAGCACTTAGAGATGTCT
TATCCTACCACATTCCTTTCTTGAAGTTCAATTGAAGATTTAAGGATCATTCCAAGGGAAACTGA
TATGAAGTTGCAATGAATGTGTATGAGTTATCATCAGCTGCCGATTACCTTGTGAGATTGATCCTGCA
TTGGTCGTAGCTTTCTTACAAAAATCGGAAAACATTAGTCCAGAAGAAGAGTATAAAATGCTGCTGCC
TTCTCATGGTGTGTGGCAGTTCTTTGCCAACACTGGCCAGTAAATGTGATGTCTCAGTACAGCCCTGC
TATAGAAGGGCATTGCAACAACATACATTGCTTGGCCAAAGCCATCAACCAGATTGCTGCAGCTTTGTTT
ACAATTACAAAAGGAAGCATTGAAGACCGTCTTAAAGAATTTCTGGCGCTGCATCCTCCAGTCTACTGA
AAATTGGCCAGGAGACAGATAAAACTACAAAGAAATAGAGAATCTGTTTATTTACTGCTAGATATGAT
TGTACAAGAATCTCCATTCCTTACAATGGATCTTTGGAATCTGTTTTCCTTATGTCTTGTGAGAAAT
GCATACCATGCTGCTACAAAACAAAGTTTACATCTTCTGCA
```

```
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA
```

Protein Sequence:

>RC216578 representing NM_205842
 Red=Cloning site Green=Tags(s)

```
MSRSVLQPSQQKLAELKILNDRGVGMLTRLYNIKKQGVWVACGDPKAKPSYLDKNLESVAVKFIVRKF
PAVETRNNQQLAQLQKEKSEILKNLALYYFTFDVMEFKDHVCELLNTIDVCQVFFDITVNFDLTKNYL
DLIITYYTLMILLSRIEERKAIIGLYNYAHMTHGASDREYPRLGQMIVDYENPLKMMEEFVPHSKSLS
DALISLQMVYPRRNLADQWRNAQLLSISAPSTMLNPAQSDTMPCEYLSLDAMEKWIIFGFILCHGILN
TDATALNLWKLALQSSSCLSLFRDEVFHIHKAEDLFVNIIRGYNKRINDIRECKEAAVSHAGSMHRERRK
FLRSALKELATVLSLSDQPLLGPALFVFMALSFARDEIIWLLRHADNMPKKSADDFIDKHIAELIFYMEE
LRAHVRKYGPVYQYVQYLSGFDAVVLNQLVQNLVQNLVQNLVQNLVQNLVQNLVQNLVQNLVQNLVQNL
GMRLDWFRLQAYTSVSKASLGLADHRELKMMNTIIIFHTKMMVDSLVEMLVETSLSIFCFYSRAFEMFQ
QCLELPSQSRYSIAFPLLCTHFMSCTHELCPPEERHHIGDRSLSLCNMFLDEMAKQARNLITDICTEQCTL
SDQLLPKHCAKTISSQAVNKKSKKQTGKKGEPEREKPGVESMRKNRLVVTNLDKLTALSELFCFSINYVFN
FNNVLLQQTQHLDHSHGEPTISLYTNWYLETLRQVSNHGIAYFPAMKAFVNLPTENELTFNAEEYSDIS
EMRSLSELLGPYGMKFLSESLMWHISSQVAELKLVVENVVVDVLTQMRSTFDKPDQMAALFKRLSSVDSVL
KRMTIIGVILSFRSLAQEALRDVLSYHIPFLVSSIEDFKDHIPTRETMKVMNRYELSSAAGLPCEIDPA
LVVALSSQKSENISPEEEYKIACLLMVFVAVSLPLASNVMSQYSPAIEGHCNNIHLAKAINQIAAALF
TIHKGSIEDRLKEFLALASSLLKIGQETDKTTTRNRESVYLLLDIMIVQESPFLTMDLLESCFPYVLLRN
AYHAVYKQSVTSSA
```


```
TRTRPLEQKLISEEDLAANDILDYKDDDDKV
```

Restriction Sites:

SgfI-MluI


Cloning Scheme:

Cloning sites used for ORF Shutting:



* The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_205842

ORF Size: 3402 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_205842.3](#)

RefSeq Size: 4637 bp

RefSeq ORF: 3405 bp

Locus ID: 10787

UniProt ID: [Q9Y2A7](#)

Cytogenetics: 2q32.1

Protein Families:	Druggable Genome
Protein Pathways:	Regulation of actin cytoskeleton
MW:	129.3 kDa
Gene Summary:	Part of the WAVE complex that regulates lamellipodia formation. The WAVE complex regulates actin filament reorganization via its interaction with the Arp2/3 complex. Actin remodeling activity is regulated by RAC1. As component of the WAVE1 complex, required for BDNF-NTRK2 endocytic trafficking and signaling from early endosomes.[UniProtKB/Swiss-Prot Function]