

Product datasheet for RC216645L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Factor I (CFI) (NM_000204) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Factor I (CFI) (NM_000204) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: Factor I

Synonyms: AHUS3; ARMD13; C3b-INA; C3BINA; FI; IF; KAF

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC216645).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_000204

ORF Size: 1749 bp



Factor I (CFI) (NM_000204) Human Tagged Lenti ORF Clone - RC216645L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 000204.1</u>

 RefSeq Size:
 1963 bp

 RefSeq ORF:
 1752 bp

 Locus ID:
 3426

 UniProt ID:
 P05156

Cytogenetics: 4q25

Protein Families:

Domains: SR, Tryp_SPc, Idl_recept_a, FIMAC

Protein Pathways: Complement and coagulation cascades

MW: 65.72 kDa

Gene Summary: This gene encodes a serine proteinase that is essential for regulating the complement

Druggable Genome, Protease, Secreted Protein

cascade. The encoded preproprotein is cleaved to produce both heavy and light chains, which are linked by disulfide bonds to form a heterodimeric glycoprotein. This heterodimer can cleave and inactivate the complement components C4b and C3b, and it prevents the assembly of the C3 and C5 convertase enzymes. Defects in this gene cause complement factor I deficiency, an autosomal recessive disease associated with a susceptibility to pyogenic infections. Mutations in this gene have been associated with a predisposition to


atypical hemolytic uremic syndrome, a disease characterized by acute renal failure, microangiopathic hemolytic anemia and thrombocytopenia. Primary glomerulonephritis with

immune deposits and age-related macular degeneration are other conditions associated with

mutations of this gene. [provided by RefSeq, Dec 2015]



Product images:



Circular map for RC216645L4