

OriGene Technologies, Inc.


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC216701L2

Bestrophin 3 (BEST3) (NM_032735) Human Tagged Lenti ORF Clone

Product data:

| Product Type: | Expression Plasmids |
|------------------------------|---|
| Product Name: | Bestrophin 3 (BEST3) (NM_032735) Human Tagged Lenti ORF Clone |
| Tag: | mGFP |
| Symbol: | Bestrophin 3 |
| Synonyms: | VMD2L3 |
| Mammalian Cell Selection: | None |
| Vector: | pLenti-C-mGFP (PS100071) |
| E. coli Selection: | Chloramphenicol (34 ug/mL) |
| ORF Nucleotide Sequence: | The ORF insert of this clone is exactly the same as(RC216701). |
| Restriction Sites: | Sgfl-Mlul |
| Cloning Scheme: | Cloning sites used for ORF Shuttling: Sgf I ORF Mlu I GCG ATC GC[C ATG// NNN ACG CGT |



ACCN: ORF Size: NM_032735 2004 bp



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


| Bestrophin 3 (BEST3) (NM_032735) Human Tagged Lenti ORF Clone – RC216701L2 | |
|---|---|
| OTI Disclaimer: | Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <u>custsupport@origene.com</u> or by calling 301.340.3188 option 3 for pricing and delivery. |
| | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u> |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| Components: | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water). |
| Reconstitution Method: | Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | <u>NM 032735.2</u> |
| RefSeq Size: | 3552 bp |
| RefSeq ORF: | 2007 bp |
| Locus ID: | 144453 |
| UniProt ID: | <u>Q8N1M1</u> |
| Cytogenetics: | 12q15 |
| Protein Families: | Ion Channels: Other, Transmembrane |
| MW: | 75.9 kDa |

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Sestrophin 3 (BEST3) (NM_032735) Human Tagged Lenti ORF Clone – RC216701L2

Gene Summary:BEST3 belongs to the bestrophin family of anion channels, which includes BEST1 (MIM
607854), the gene mutant in vitelliform macular dystrophy (VMD; MIM 153700), and 2 other
BEST1-like genes, BEST2 (MIM 607335) and BEST4 (MIM 607336). Bestrophins are
transmembrane (TM) proteins that share a homology region containing a high content of
aromatic residues, including an invariant arg-phe-pro (RFP) motif. The bestrophin genes share
a conserved gene structure, with almost identical sizes of the 8 RFP-TM domain-encoding
exons and highly conserved exon-intron boundaries. Each of the 4 bestrophin genes has a
unique 3-prime end of variable length (Stohr et al., 2002 [PubMed 12032738]; Tsunenari et al.,
2003 [PubMed 12907679]).[supplied by OMIM, Mar 2008]

Product images:



Circular map for RC216701L2

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US