

Product datasheet for RC216726

KDEL3 (NM_016657) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	KDEL3 (NM_016657) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	KDEL3
Synonyms:	ERD2L3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC216726 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAACGTGTTCCGAATCCTCGGCGACCTGAGCCACCTCCTGGCCATGATCTTGCTGCTGGGAAGATCT
GGAGGTCCAAGTGCTGCAAGGGCATCTCTGGGAAGAGCCAGATCCTGTTGCTCTCGTCTTACCACCAG
GTACCTGGACCTGTTACCAACTTCATCTCCATCTACAACACAGTAATGAAGGTGGTTTTCTCCTCTGT
GCCTATGTTACAGTGACATGATATATGGGAAATCCGTAACACTTTTGACAGTGAGAATGACACATTCC
GCCTGGAGTTTCTCTGGTCCCAGTCATTGGCCTTTCCTTCTGAAAACACTACAGTTTCACTCTGCTGGA
GATCCTCTGGACTTTCTCTATCTATCTGGAATCAGTGGCTATCCTGCCAGCTCTTCATGATCAGCAAG
ACTGGAGAGGCTGAGACCATAACTACTACTACCTGTTCTTTCTGGGTCTGTACCGGCACTCTACCTGG
CTAACTGGATCAGGCGGTACCAGACTGAGAATTTCTATGACCAAATTCAGTTCGTCTGGAGTAGTACA
AACCATCTTCTACTGTGACTTCTTCTACTTGTATGGGACCAAAGGTAGGTCTGGGATGACAGCAATGCT
GACTGGCCTAAGGAGTTACTCATCCATT

ACGCGTACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC216726 protein sequence
Red=Cloning site Green=Tags(s)

MNVFRILGDLSHLLAMILLGKIWRKCKCKGISGKSQILFALVFTTRYLDLFTNFISIIYNTVMKVFLLC
 AYTVMYIYGKFRKTFDSENDTRLEFLLVPVIGLSFLENYSFTLLEILWTFISIYLESVAILPQLFMISK
 TGEAETITTHYLFFLGLYRALYLANWIRRYQTENFYDQIAVVSQVQIFVYCDFVLYGKGRSWDDSN
 DTGLRSYSSI

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6450_g11.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_016657

ORF Size: 660 bp


OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)


OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_016657.2 , NP_057839.1
RefSeq Size:	960 bp
RefSeq ORF:	663 bp
Locus ID:	11015
UniProt ID:	O43731
Cytogenetics:	22q13.1
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Vibrio cholerae infection
MW:	25.6 kDa
Gene Summary:	<p>This gene encodes a member of the KDEL endoplasmic reticulum protein retention receptor family. Retention of resident soluble proteins in the lumen of the endoplasmic reticulum (ER) is achieved in both yeast and animal cells by their continual retrieval from the cis-Golgi, or a pre-Golgi compartment. Sorting of these proteins is dependent on a C-terminal tetrapeptide signal, usually lys-asp-glu-leu (KDEL) in animal cells, and his-asp-glu-leu (HDEL) in <i>S. cerevisiae</i>. This process is mediated by a receptor that recognizes, and binds the tetrapeptide-containing protein, and returns it to the ER. In yeast, the sorting receptor encoded by a single gene, ERD2, is a seven-transmembrane protein. Unlike yeast, several human homologs of the ERD2 gene, constituting the KDEL receptor gene family, have been described. KDEL3 was the third member of the family to be identified. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Jul 2013]</p>

Product images:



Circular map for RC216726



Western blot validation of overexpression lysate (Cat# [LY413856]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC216726 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).