

## Product datasheet for RC216778L1V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## KIF5B (NM 004521) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type: Lentiviral Particles** 

**Product Name:** KIF5B (NM 004521) Human Tagged ORF Clone Lentiviral Particle

Symbol:

HEL-S-61; KINH; KNS; KNS1; UKHC Synonyms:

**Mammalian Cell** 

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Myc-DDK Tag: NM 004521 ACCN: **ORF Size:** 2889 bp

**ORF Nucleotide** 

Sequence:

The ORF insert of this clone is exactly the same as(RC216778).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 004521.1

RefSeq Size: 3688 bp RefSeq ORF: 2892 bp Locus ID: 3799 **UniProt ID:** P33176 10p11.22 Cytogenetics:

**Domains:** kinesin

**Protein Families:** Druggable Genome





ORÏGENE

**MW:** 109.5 kDa

**Gene Summary:** Microtubule-dependent motor required for normal distribution of mitochondria and

lysosomes. Can induce formation of neurite-like membrane protrusions in non-neuronal cells

in a ZFYVE27-dependent manner (By similarity). Regulates centrosome and nuclear

positioning during mitotic entry. During the G2 phase of the cell cycle in a BICD2-dependent manner, antagonizes dynein function and drives the separation of nuclei and centrosomes (PubMed:20386726). Required for anterograde axonal transportation of MAPK8IP3/JIP3 which is essential for MAPK8IP3/JIP3 function in axon elongation (By similarity).[UniProtKB/Swiss-

Prot Function]