

Product datasheet for RC216881L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Myosin 1C (MYO1C) (NM_001080950) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Myosin 1C (MYO1C) (NM 001080950) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Myosin 1C

Synonyms: MMI-beta; MMIb; myr2; NMI

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC216881).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001080950

ORF Size: 3132 bp



Myosin 1C (MYO1C) (NM_001080950) Human Tagged Lenti ORF Clone - RC216881L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001080950.1</u>

RefSeq Size: 4742 bp RefSeq ORF: 3135 bp

Locus ID: 4641

 UniProt ID:
 000159

 Cytogenetics:
 17p13.3

MW: 119.4 kDa


Gene Summary: This gene encodes a member of the unconventional myosin protein family, which are actin-

based molecular motors. The protein is found in the cytoplasm, and one isoform with a unique N-terminus is also found in the nucleus. The nuclear isoform associates with RNA polymerase I and II and functions in transcription initiation. The mouse ortholog of this protein also functions in intracellular vesicle transport to the plasma membrane. Multiple transcript variants encoding different isoforms have been found for this gene. The related gene myosin IE has been referred to as myosin IC in the literature, but it is a distinct locus on

chromosome 19. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC216881L4