

## Product datasheet for **RC217004**

### LRDD (PIDD1) (NM\_145886) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	LRDD (PIDD1) (NM_145886) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	LRDD
Synonyms:	LRDD; PIDD
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RC217004 representing NM\_145886  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGCTGCAACGGTGGAGGGGCCAGAGCTGGAGGCAGCTGCTGCCGCAGGAGATGCTTCAGAGGATTCGG  
 ACGCAGGGTCCAGGGCGCTGCCTTTCTGGGCGCAACCGCTGAGCTTGACCTGTACCCCGGGGCTG  
 CCAGCAGCTGCTGCACCTGTGTGTCAGCAGCCTCTTCAGCTGCTGCAGGTGGAATTCCTGCGTCTGAGC  
 ACTCACGAGGACCCTCAGCTGCTGGAGGCCACCCTGGCCAGCTGCCTCAGAGCCTGTCTGCTCCGCT  
 CCCTGGTCTCAAAGGAGGGCAACGCCGGGACACACTGGGTGCCTGTCTCCGGGGTGCCTGACCAACCT  
 GCCCGTGGTCTGAGTGGCCTGGCCATCTGGCCACCTGGACCTGAGCTTCAACAGCCTGGAGACTG  
 CCGGCCTGTCTGCAGATGCGAGGTCTGGTGCCTCTTGTGTCTCACAACCTGCTCTGAGCTGC  
 CTGAGGCTCTGGGGCCCTCCCCGCCCTACCTTCTCACAGTGACACACAACCGCTGCAGACGCTGCC  
 CCCAGCACTGGGGCCCTATCCACCCTGCAGCGCCTCGATCTCTCTCAGAATCTGCTGGACACGCTACCT  
 CCTGAGATTGGAGGCCTGGGCAGCCTCCTGGAGCTCAACCTGGCCTCCAACCGGCTGCAGAGCCTCCAG  
 CCTCTCTGGCGGACTTCGGTCTTGGCGCTCCTTGTCTGCACAGCAACCTCCTGGCCTCTGTGCCAGC  
 TGACTTGGCCCGCTTCCACTCCTACCCGGCTCGACTGAGGGACAACCGCTCCGGGACTGCCCCCT  
 GAGCTGTAGACGCCCTTTGTGCGCTGCAGGGGAACCCCTGGGTGAGGCCTCGCCAGACGCCCCGA  
 GTTCACCAAGTGGCAGCCCTCATTCCAGAAATGCCAGACTGTTCTGACCTCAGATTTGGACAGCTTTC  
 TGTGACCCTCGAGGTGCTCAGTGACCCTGGCCTGTGGCGTCCGCTGCAGTCCCAGCGGGAGCCACC  
 GCCACCCCATCACCATCCGCTATCGGTGCTGCTGCCGAGCCAGGCCTCGTCCCCTGGTCTCATG  
 ACGCCCTGCTCAGCCATGTGCTGGAGCTGCAGCCCATGGGTGGCTTCCAGCAGGATGTGGGCTGTG  
 GCTGCTCTTACCCACCGCAGGCCCGGCGCTGCCGTGAAGTGGTGGTCCAGGACCCGGAATGACAACAGC  
 TGGGTGACCTGGAGACCTACCTGGAGGAAGAGGCACCCAGCGCTCTGGGCTCACTGCCAGGTGCCCC  
 ACTTCTCTGGTTCCTTGTGTTTCCCGCCTGTGTCCAATGCCTGCCTGGTGCCACCGGAGGGGACT  
 GCTGTGCTCCTCGGGTATCCTGGGGTCAAAGTCACTTCCCCCTGGGGCCACTGAGGAGCCTCGTCGA  
 GTCTCCATGCAGGTGGTGCATGGCTGGCCGAGAGCTGCAGGCCCTCCTGGGAGAACCAGAGGCTGCAG  
 TGAGCCCCCTGCTGTGCCTGTACAGAGCGGTCCCCCAGCTTCTCCAACCGGTACCGTGCAGCTGCC  
 TCTGCCCTGTGCATCACAGCCCTCAGTCTGGACCGCTCCCGCTGCACCTGTTGACTGGGCCCTCT  
 GCAGCCACTGGGATGACATCACAGCTCAGGTGGTCTGGAGCTACCCACTGTACGCAGCTTCCAGG  
 TCACACACTTCTCCTGGTACTGGCTCTGGTACACCACCAAGAAGTGTGTGGGAGGCTGGCTCGGAAGGC  
 CTGGGAGCGGCTGCGGCTGCACCGTGTGAACCTCATCGCTCTGCAGCGGCCCGGGACCCTGAGCAGGT  
 CTGCTGCAGTGCCTGCCCGAAACAAGGTGGACGCCACCCTTCGGCGGCTGCTGGAGCGGTACCGGGCC  
 CCGAGCCCTCTGACACGGTGGAGATGTTTCGAGGGCGAAGATTTTTCGGCCCTTCGAGCGCGGCATCGA  
 CGTGGATGCTGACCGCCCTGACTGTGTGGAGGGCAGAATCTGCTTGTCTTACTCGCACCTGAAGAAT  
 GTGAAGGAGGTATACGTGACCACCACTTGGACCGGGAGGCTCAGGCTGTGCGGGCCAGGTGTCTTCT  
 ACCGTGGCGCGGTGCCTGTGCGGGTCCCGAGGAGGCTGAGGCTGCCCGCAGAGGAAGGGCGCAGACGC  
 CCTGTGGATGGCACTCTGCCATCAAGCTGCCGAGACTTCGAGGGTCCGAGGGCCACGGCGGGGGCT  
 GGCTCTCCTTGGCACCCCTTGAATCTGGGAGATGCCGAGACCGGCTTCTGACGCAGAGCAACCTGCTGA  
 GTGTGGCTGGGCTCTGGTCTGGACTGCCAGCCGTGGCCCTGCACCTGGGGGTCTCTACCGGAGGT  
 GCAGCGCATCCGGCAGGATTCGGGATGATCTGGATGAGCAGATCCGTACATGCTCTTCTCTGGGCT  
 GAGCGCCAGGCTGGGAGCCAGGGGCTGTGGGCTCCTGGTGCAGGCCCTGGAGCAGAGTGACCGGCAGG  
 ACGTGGCTGAAGAGGTGCGCGCAGTCTTGGAGCTCGGCCCGCAAGTACCAGGACAGCATCCGACGCAT  
 GGGCTTGGCCCCAAGGACCCGCTCTGCCTGGCTCCTCGGCTCCACAGCCCCAGAGCCTGCCAGGCC

**ACGGT**ACGGCGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC217004 representing NM\_145886  
 Red=Cloning site Green=Tags(s)



MAATVEGPELEAAAAAGDASESDAGSRALPFLGGNRLSLDLYPGGCQQLLHLCVQQPLQLLQVEFLRLS  
 THEDPQLLEATLAQLPQSLSCLRSLVLKGGQRRDTLGACLRGALTNLPAGLSGLAHLAHLDFNSLET  
 PACVLMRGLGALLSHNCLSELPEALGALPALTFLTVTHNRLQTLPPALGALSTLQRLDLSQNLLDTP  
 PEIGGLSLELNLASNRLQSLPASLAGLRSLRLVLSHNLASVPADLARLPLLTRLDLRDNLRLDLP  
 ELLDAPFVRLQGNPLGEASPDAPSSPVAALIPMPRLFLTSDLDSFPVTPRGCSVTLACGVRLQFPAGAT  
 ATPITIRYRLLLLPEPGLVPLGPHDALLSHVLELQPHGVAFAQQDVGLWLLFTPPQARRCREVVVTRNDNS  
 WGDLETYLEEEAPQRLWAHCQVPHFSWFLVVSVPVSNACLVPPEGTLLCSSHGHPGVKVIFFPPGATEEPRR  
 VSMQVVRMAGRELQALLGEPEAAVSPLLCLSQSGPPSFLQPVTVQLPLPSGITGLSLDRSRLHLLYWAPP  
 AATWDDITAQVVLELTHLYARFQVTHFSWYWLWYTTKNCVGLLARKAWERLRHRVNLIALQRRRDEQV  
 LLQCLPRNKVDATLRRLRLERYRGPESDTEVEMFEGEEFAAFERGIQVADRPDCVEGRICFVFYSHLKN  
 VKEYVYVTTTLDREAQAVRGQVSFYRGAVPVRVPEEAARQRKGADALWMATLPKLPRLRGSEGPARRGA  
 GLSLAPLNLGDAETGFLTQSNLLSVAGRLGLDWPVALHLGVSYREVQIRHEFRDLDLDEQIRHMLF  
 SWAERQAGQPGAVGLLVQALEQSDRQDVAEEVRAVLELGRKRYQDSIRRMGLAPKDPALPGSSAPQPPEPAQA  
  
 TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** [https://cdn.origene.com/chromatograms/mg4339\\_e05.zip](https://cdn.origene.com/chromatograms/mg4339_e05.zip)

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:




\* The last codon before the Stop codon of the ORF

**ACCN:** NM\_145886

<b>ORF Size:</b>	2730 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_145886.1</a>
<b>RefSeq Size:</b>	3025 bp
<b>RefSeq ORF:</b>	2733 bp
<b>Locus ID:</b>	55367
<b>UniProt ID:</b>	<a href="#">Q9HB75</a>
<b>Cytogenetics:</b>	11p15.5
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	p53 signaling pathway
<b>MW:</b>	99.5 kDa
<b>Gene Summary:</b>	The protein encoded by this gene contains a leucine-rich repeat and a death domain. This protein has been shown to interact with other death domain proteins, such as Fas (TNFRSF6)-associated via death domain (FADD) and MAP-kinase activating death domain-containing protein (MADD), and thus may function as an adaptor protein in cell death-related signaling processes. The expression of the mouse counterpart of this gene has been found to be positively regulated by the tumor suppressor p53 and to induce cell apoptosis in response to DNA damage, which suggests a role for this gene as an effector of p53-dependent apoptosis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Aug 2010]

Product images:



Circular map for RC217004