

Product datasheet for RC217103L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Glycophorin C (GYPC) (NM 016815) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Glycophorin C (GYPC) (NM_016815) Human Tagged ORF Clone Lentiviral Particle

Symbol: Glycophorin C

CD236; CD236R; GE; GE:GPC:GPD:GYPD; GPC; GPD; GYPD; PAS-2; PAS-2' Synonyms:

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Myc-DDK Tag: NM 016815

ORF Size: 327 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC217103).

Sequence:

ACCN:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 016815.2

RefSeq Size: 1019 bp RefSeq ORF: 330 bp Locus ID: 2995 **UniProt ID:** P04921 Cytogenetics: 2q14.3

Protein Families: Druggable Genome, Transmembrane

MW: 11.7 kDa





Gene Summary:

Glycophorin C (GYPC) is an integral membrane glycoprotein. It is a minor species carried by human erythrocytes, but plays an important role in regulating the mechanical stability of red cells. A number of glycophorin C mutations have been described. The Gerbich and Yus phenotypes are due to deletion of exon 3 and 2, respectively. The Webb and Duch antigens, also known as glycophorin D, result from single point mutations of the glycophorin C gene. The glycophorin C protein has very little homology with glycophorins A and B. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Feb 2012]