

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC217105L3V

SGCE (NM_001099401) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	SGCE (NM_001099401) Human Tagged ORF Clone Lentiviral Particle
Symbol:	SGCE
Synonyms:	DYT11; epsilon-SG; ESG
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_001099401
ORF Size:	1386 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC217105).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001099401.1</u>
RefSeq Size:	1784 bp
RefSeq ORF:	1389 bp
Locus ID:	8910
UniProt ID:	<u>O43556</u>
Cytogenetics:	7q21.3
Protein Families:	Transmembrane
MW:	52.3 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This gene encodes the epsilon member of the sarcoglycan family. Sarcoglycans are
transmembrane proteins that are components of the dystrophin-glycoprotein complex, which
link the actin cytoskeleton to the extracellular matrix. Unlike other family members which are
predominantly expressed in striated muscle, the epsilon sarcoglycan is more broadly
expressed. Mutations in this gene are associated with myoclonus-dystonia syndrome. This
gene is imprinted, with preferential expression from the paternal allele. Alternatively spliced
transcript variants encoding different isoforms have been found for this gene. A pseudogene
associated with this gene is located on chromosome 2. [provided by RefSeq, Oct 2016]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US