

## Product datasheet for **RC217127**

### **PDE9A (NM\_001001578) Human Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	PDE9A (NM_001001578) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PDE9A
Synonyms:	HSPDE9A2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RC217127 representing NM\_001001578  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGGATCCGGCTCCTCCAGCTACCGGCCAAGGCCATCTACCTGGACATCGATGGACGCATTCAAGAGG  
 AACACGACCATCTCCCTGCTGACCACCGACGACGCCATGGTCTCCATCGACCCCACCATGCCCGCAATT  
 CAGAACGCACTCCGTACAAAGTGAGACCTGTGGCCATCAAGCAACTCTCCGAGCATTCAAAATCAATGAA  
 CTGAAAGCTGAAGTTGCAAACTACTTGGCTGTCTAGAGAAAACGCGTGAATTGGAAGGACTAAAAGTGG  
 TGGAGATTGAGAAATGCAAGAGTGACATTAAGAAGATGAGGGAGGAGCTGGCGGCCAGAAGCAGCAGGAC  
 CAACTGCCCTGTAAGTACAGTTTTTTGGATAACCAAGAAGTTGACTCCTCGACGCGATGTTCCCACT  
 TACCCCAAGTACCTGCTCTCCAGAGACCATCGAGGCCCTGCGGAAGCCGACCTTTGACGTCTGGCTTT  
 GGGAGCCCAATGAGATGCTGAGCTGCCTGGAGCACATGTACCACGACCTCGGGCTGGTCAAGGACTTCAG  
 CATCAACCCTGTACCCTCAGGAGTGGCTGTTCTGCGTCCACGACAACACAGAAACAACCCTTCCAC  
 AACTTCCGGCACTGCTTCTGCGTGGCCAGATGATGTACAGCATGGTCTGGCTCTGCAGTCTCCAGGAGA  
 AGTTCTCACAAACGGATATCCTGATCCTAATGACAGCGGCCATCTGCCACGATCTGGACCATCCCGGCTA  
 CAACAACACGTACCAGATCAATGCCCGCACAGAGCTGGCGGTCCGCTACAATGACATCTCACCGCTGGAG  
 AACCACCACTGCGCCGTGGCCTTCCAGATCCTCGCCGAGCCTGAGTGCAACATCTTCCAAACATCCAC  
 CTGATGGGTTCAAGCAGATCCGACAGGGAATGATCACATTAATCTTGGCCACTGACATGGCAAGACATGC  
 AGAAATTATGGATTCTTTCAAAGAGAAAATGGAGAATTTTACTACAGCAACGAGGAGCACATGACCCTG  
 CTGAAGATGATTTTATGATAAAATGCTGTGATATCTTAACGAGGTCCTCAATGGAAGTCGACAGCCTT  
 GGTGGACTGTTTATTAGAGGAATATTTTATGACAGAGCAGCCGTGAGAAGTCAGAAGGCCCTCCTGTGGC  
 ACCGTTTATGGACCGAGACAAAGTGACCAAGGCCACAGCCAGATTTGGTTCATCAAGTTTGTCTGATC  
 CCAATGTTTGAACAGTGACCAAGCTCTTCCCATGGTTGAGGAGATCATGCTGCAGCCACTTTGGGAAT  
 CCCGAGATCGCTACGAGGAGCTGAAGCGGATAGATGACGCCATGAAAGAGTTACAGAAGAAGACTGACAG  
 CTTGACGTCTGGGGCCACCGAGAAGTCCAGAGAGAGAAGCAGAGATGTGAAAAACAGTGAAGGAGACTGT  
 GCC

**ACGGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGA**  
**TTACAAGGATGACGACGATAAGGTTTAA**

**Protein Sequence:**

>RC217127 representing NM\_001001578  
 Red=Cloning site Green=Tags(s)

MGSGSSSYRPKAIYLDIDGRIQKEHDHLPADHRRRHGLHRPHHAREFRTHSVQSETCGHQATLRAFKINE  
 LKAEVANHLAVLEKRVELEGLKVVEIEKCKSDIKMREELAARSSRTNCPCKYSFLDNHKKLTPRRDVPT  
 YPKYLLSPETIEALRKPTFDVWLWEPNEMLSLEHMYHDLGLVRDFSINPVTLRRWLFCVHDNYRNNPFH  
 NFRHCFVAQMMYSMVWLCSLQEKFSQTDILILMTAAICHDLDPGYNNTYQINARTELAVRYNDISPLE  
 NHHCAVAFQILAEPECNIFSNIPDPGFKQIRQGMITLILATDMARHAEIMDSFKEKMFNDYSNEEHMTL  
 LKMILIKCCDISNEVRPMEVAEPWVDCLLEEYFMQSDREKSEGLPVAPFMDRDKVTKATAQIGFIKFLVI  
 PMFETVTKLFPMVVEIMLQPLWESRDYEELKRIDDAMKELQKKTDSL TSGATEKSRERSRDVKNSEGDC  
 A

**TRRLEQKLI SEEDLAANDILDYKDDDDKV**


**Chromatograms:**

[https://cdn.origene.com/chromatograms/mk8063\\_b05.zip](https://cdn.origene.com/chromatograms/mk8063_b05.zip)

**Restriction Sites:**

Sgfl-NotI

Cloning Scheme:



ACCN: NM\_001001578

ORF Size: 1473 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:
1. Centrifuge at 5,000xg for 5min.
  2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
  3. Close the tube and incubate for 10 minutes at room temperature.
  4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
  5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM\\_001001578.1](#), [NP\\_001001578.1](#)

RefSeq Size: 1797 bp

RefSeq ORF: 1476 bp

Locus ID: 5152

UniProt ID: [O76083](#)

Cytogenetics: 21q22.3


**Protein Families:** Druggable Genome

**Protein Pathways:** Progesterone-mediated oocyte maturation, Purine metabolism


**MW:** 57.2 kDa

**Gene Summary:** The protein encoded by this gene catalyzes the hydrolysis of cAMP and cGMP to their corresponding monophosphates. The encoded protein plays a role in signal transduction by regulating the intracellular concentration of these cyclic nucleotides. Multiple transcript variants encoding several different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]


**Product images:**



Circular map for RC217127



Western blot validation of overexpression lysate (Cat# [LY424395]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC217127 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified PDE9A protein (Cat# [TP317127]). The protein was produced from HEK293T cells transfected with PDE9A cDNA clone (Cat# RC217127) using MegaTran 2.0 (Cat# [TT210002]).