

Product datasheet for **RC217200**

PACE4 (PCSK6) (NM_138321) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PACE4 (PCSK6) (NM_138321) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	PACE4
Synonyms:	PACE4; SPC4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC217200 representing NM_138321
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCCTCCGCGCGCGCCCTGCGCCCGGGCCCGCGCGCCCGGGCCGCGCCCGCCACCGACACCG
 CCGCGGGCGCGGGGGCGCGGGGGCGCGGGGGCGCGGGGGCCGGTTCCGGCCGCTCGCGCCGG
 TCCTGGCGCTGGCTGCTGCTGCTGGCGCTGCCTGCCGCTGCTCCGCGCCCGCGCGCCCGCTAC
 ACCAACCACTGGGCGGTGCAAGTCTGGGCGGCCCGCGGAGGCGGACCGGTGGCGGGCGCACGGGT
 ACCTCACTTGGGCCAGATTGGAACCTGGAAGTACTACCATTTTTATCACAGAAAACCTTTAAAAG
 ATCAACCTTGAGTAGCAGAGGCCCTCACACCTTCTCAGAATGGACCCCAAGTGAATGGCTCCAGCAA
 CAGGAAGTGAACGAAGGTGAAGAGACAGGTGCGAAGTACCCCGAGGCCCTTTACTTCAACGACCCCA
 TTTGGTCCAACATGTGGTACCTGCATTGTGGCGACAAGAAGTGCCTGCCGGTCCGAAAATGAATGTCCA
 GGCAGCGTGAAGAGGGGTACACAGAAAAAACGTGGTGGTACCATCCTTGATGATGGCATAGAGAGA
 AATCACCCCTGACCTGGCCCAAATTATGATTCTACGCCAGCTACGACGTGAACGGCAATGATTATGACC
 CATCTCCACGATATGATGCCAGCAATGAAAATAAACACGGCACTCGTTGTGCGGGAGAAGTTGCTGCTTC
 AGCAAAACAATTCCTACTGCATCGTGGGCATAGCGTACAATGCCAAAATAGGAGGCATCCGCATGCTGGAC
 GGCGATGTCACAGATGTGGTCGAGGCAAGTCCGTGGGCATCAGACCCAACTACATCGACATTTACAGTG
 CCAGCTGGGGGCCGACGACGACGGCAAGACGGTGGACGGGCCCGGGCGACTGGCTAAGCAGGCTTTTCA
 GTATGGCATTAAAAAGGGCCGCGAGGGCCCTGGCTCCATTTTCGTCGCGCATCTGGGAATGGCGGGAGA
 GAGGGGGACTACTGCTCGTGGATGGCTACACCAACAGCATACACCATCTCCGTCAGCAGCGCCACCG
 AGAATGGCTACAAGCCCTGGTACCTGGAAGAGTGTCCCTCCACCCTGGCCACCCTCAGCAGTGGGGC
 CTTTTATGAGCGAAAAATCGTCACCACGGATCTGCGTCAGCGCTGTACCGATGGCCACACTGGGACCTCA
 GTCTCTGCCCCATGGTGGCGGCATCATCGCCTTGGCTCTAGAAGCAAAAGCCAGTTAACCTGGAGGG
 ACGTCCAGCACCTGCTAGTGAAGACATCCCGCGGCCCACTGAAAGCGAGCGACTGGAAGTGAACGG
 CGCGGGTCATAAAGTTAGCCATTTCTATGGATTTGGTTTGGTGGACGAGAACTCTCGTTGTGGAGGCA
 AAGAAGTGGACAGCAGTCCATCGCAGCACATGTGTGGCCGCTCGGACAAGAGACCCAGGAGCATCC
 CCTTAGTGCAAGTGTGCGGACTACGGCCCTGACCAGCGCTGCGCGGAGCACTCGGACCAGCGGGTGGT
 CTACTTGGAGCACGTGGTGGTTCGCACCTCCATCTCACACCCACGCGAGGAGACCTCCAGATCTACCTG
 GTTCTCCCTCGGAACCAAGTCTCAACTCTGGCAAAGAGGTTGCTGGATCTTTCCAATGAAGGGTTTA
 CAAACTGGGAATTCATGACTGTCCACTGCTGGGAGAAAAGGCTGAAGGGCAGTGGACCTTGGAAATCCA
 AGATCTGCCATCCAGGTCCGCAACCCGGAGAAGCAAGGGAAGTTGAAAGAAATGGAGCCTCATACTGTAT
 GGCACAGCAGAGCACCCGTACCACACCTTCAGTGCCCATCAGTCCCGCTCGCGGATGCTGGAGCTCTCAG
 CCCCAGAGCTGGAGCCACCAAGGCTGCCCTGTACCCTCCAGGTGGAAGTTCTGAAGATGAGGAAGA
 TTACACAGGTGTGTGCCATCCGGAGTGTGGTGACAAAGGCTGTGATGGCCCAATGCAGACCAGTGTCTG
 AACTGCGTCCACTCAGCCTGGGAGTGTCAAGACCAGCAGGAAGTGCCTGAGTGTGTGCCCTTGGGCT
 ACTTTGGGGACACAGCAGCAAGACGCTGTGCCGGTGCACAAGGGGTGTGAGACCTGCTCCAGCAGAGC
 TGCGAGCAGTGCCTGTCTTGGCCCGCGGGTTCTATCACACCAGGAGATGAACACCTGTGTGACCTC
 TGCCTGCAGGATTTTATGCTGATGAAAGTCAGAAAAATTCCTTAAATGCCACCCAAGCTGTAAAAAGT
 CGTGGATGAACCTGAGAAATGTACTGTCTGTAAGAAGGATTCAGCCTTGCACGGGGCAGCTGCATTCC
 TGAATGTGAGCCAGGCACCTACTTTGACTCAGAGCTGATCAGATGTGGGAATGCCATCACACCTGCGGA
 ACCTGCGTGGGGCCAGGCAGAGAAGAGTGCATTACTGTGCGAAAAACTTCCACTTCCACGACTGGAAGT
 GTGTGCCAGCCTGTGGTGAAGGCTTCTACCCAGAAGAGATGCCGGCTTGGCCCAAAAGTGTGTGGAAG
 GTACGGTCTCTGGCGGGAACGGCAGGCAGCTGTGTCCAGCAAAGGAGTGCCTGGAGGGCAGAGTCTG
 GCAGCATCTCCAGGGGCCGGGAGGGCATGTTGCATCACCCACTGTGGACAGGAGCCATTTACAG
 AGCTGCTGAGGGCCCTTCTCCCTTTGTTCACTGGATGCATATTTGTTGGTCCCTGCTGTGGGCAGACA
 CCGTGCAGCAGCGGA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC217200 representing NM_138321
 Red=Cloning site Green=Tags(s)

MPPRAPPAPGPRPPRAAAATDTAAGAGGAGGAGGAGGPGFRPLAPRPWRWLLLLALPAACSAPPPRPVY
 TNHWAQVVLGGPAEADRVAAAHGYLNLGQIGNLEDYYHFYHSKTFKRSTLSSRGPHTFLRMDPQVKWLQQ
 QEVKRRVKRQVRSDPQALYFNDP IWSNMWYLHCGDKNSRCRSEMNVQAAWKRGYTGKNVVVTILDDGIER
 NHPDLAPNYDSYASYDVNGNDYDPSPRYDASNENKHGTRCAGEVAASANNYSYCVGIAYNAKIGGIRMLD
 GDVTDVVEAKSLGIRPNYIDIYSASWGPDDDGKTVDGPGRLAKQAFEYGIKKGRQLGSI FVWASNGNGR
 EGDYCSGDGYTNSIYTTISVSSATENGYKPWYLEECASLTATTYSSGAFYERKIVTTDLRQRCTDGHGTGS
 VSAPMVAGIIALALEANSQLTWRDVQHLLVKTSRPAHLKASDWKVNAGHKVSHFYGFGLVDAEALVVEA
 KKWTAVPSQHMCVAASDKRPRSIPLVQVLRRTALTSAEHSQDQVVYLEHVVVVRTSISHPRRGDLQIYL
 VSPSGTKSLLAKRLDLSNEGF TNWFM TVHCWGEKAEGQWTL EIQDLPQVRNPEKQGLKEWSLILY
 GTAEPHYHTFAHQSRSMLELSAPELEPPKAALSPSQVEVPEDEEDYTG VCHPECGDKGCDGNADQCL
 NCVHFLSGSVKTSRKCVCVPLGYFGDTAARRCRCHKGCECTSSRAATQCLSCRRGFYHHQEMNTCVTL
 CPAGFYADESQKNCLKCHPSCCKCVDEPEKCTVCKEGFSLARGSCIPDCEPGTYFDEL IRCGECHHTCG
 TCVGPGREECIHCAKNFHFHDWKVPACGEGFYPEEMPGLPHKVCRRYPPGGERQAAVSSKGVPGGQSL
 AASSPGAGEGMLHHTVDRSPFTELLRGLRPFVHMWHICWVPAVGRHRAAG

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: NM_138321

ORF Size: 2886 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_138321.1 , NP_612194.1
RefSeq Size:	3333 bp
RefSeq ORF:	2888 bp
Locus ID:	5046
Cytogenetics:	15q26.3
Protein Families:	Druggable Genome, Protease, Secreted Protein
MW:	99.3 kDa
Gene Summary:	This gene encodes a member of the subtilisin-like proprotein convertase family, which includes proteases that process protein and peptide precursors trafficking through regulated or constitutive branches of the secretory pathway. The encoded protein undergoes an initial autocatalytic processing event in the ER to generate a heterodimer which exits the ER and sorts to the trans-Golgi network where a second autocatalytic event takes place and the catalytic activity is acquired. The encoded protease is constitutively secreted into the extracellular matrix and expressed in many tissues, including neuroendocrine, liver, gut, and brain. This gene encodes one of the seven basic amino acid-specific members which cleave their substrates at single or paired basic residues. Some of its substrates include transforming growth factor beta related proteins, proalbumin, and von Willebrand factor. This gene is thought to play a role in tumor progression and left-right patterning. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Feb 2014]

Product images:



Circular map for RC217200