

Product datasheet for RC217216L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Angiopoietin 2 (ANGPT2) (NM_001147) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Angiopoietin 2 (ANGPT2) (NM_001147) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Angiopoietin 2

Synonyms: AGPT2; ANG2; LMPHM10

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)


ORF Nucleotide The 0


Sequence:

The ORF insert of this clone is exactly the same as(RC217216).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001147

ORF Size: 1488 bp



Angiopoietin 2 (ANGPT2) (NM_001147) Human Tagged Lenti ORF Clone - RC217216L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001147.1</u>

RefSeq Size:2269 bpRefSeq ORF:1491 bp

Locus ID: 285

UniProt ID: O15123

Cytogenetics: 8p23.1

Domains: FBG

Protein Families: Druggable Genome, Secreted Protein

MW: 56.95 kDa


Gene Summary: This gene belongs to the angiopoietin family of growth factors. The protein encoded by this

gene is an antagonist of angiopoietin 1, and both angiopoietin 1 and angiopoietin 2 are ligands for the endothelial TEK receptor tyrosine kinase. Angiopoietin 2 is upregulated in multiple inflammatory diseases and is implicated in the direct control of inflammation-related signaling pathways. The encoded protein affects angiogenesis during embryogenesis and tumorigenesis, disrupts the vascular remodeling ability of angiopoietin 1, and may induce endothelial cell apoptosis. This gene serves a prognostic biomarker for acute respiratory

distress syndrome. [provided by RefSeq, Aug 2020]



Product images:



Circular map for RC217216L1