

Product datasheet for RC217228L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PANK2 (NM_024960) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: PANK2 (NM 024960) Human Tagged ORF Clone Lentiviral Particle

Symbol: PANK2

Synonyms: C20orf48; HARP; HSS; NBIA1; PKAN

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_024960

ORF Size: 837 bp

ORF Nucleotide

OTI Disclaimer:

TI. ODE

Sequence:

The ORF insert of this clone is exactly the same as(RC217228).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 024960.3

RefSeq Size: 1711 bp
RefSeq ORF: 840 bp
Locus ID: 80025
UniProt ID: Q9BZ23
Cytogenetics: 20p13
Domains: Fumble

Protein Families: Druggable Genome





PANK2 (NM_024960) Human Tagged ORF Clone Lentiviral Particle - RC217228L4V

Protein Pathways: Metabolic pathways, Pantothenate and CoA biosynthesis

MW: 30.6 kDa

Gene Summary: This gene encodes a protein belonging to the pantothenate kinase family and is the only

member of that family to be expressed in mitochondria. Pantothenate kinase is a key regulatory enzyme in the biosynthesis of coenzyme A (CoA) in bacteria and mammalian cells. It catalyzes the first committed step in the universal biosynthetic pathway leading to CoA and is itself subject to regulation through feedback inhibition by acyl CoA species. Mutations in this gene are associated with HARP syndrome and pantothenate kinase-associated neurodegeneration (PKAN), formerly Hallervorden-Spatz syndrome. Alternative splicing,

involving the use of alternate first exons, results in multiple transcripts encoding different

isoforms. [provided by RefSeq, Jul 2008]