

Product datasheet for RC217247L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CMKLR1 (NM_004072) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: CMKLR1 (NM_004072) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: CMKLR1

Synonyms: CHEMERINR; ChemR23; DEZ; RVER1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC217247).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_004072

ORF Size: 1113 bp





CMKLR1 (NM_004072) Human Tagged Lenti ORF Clone - RC217247L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 004072.1

RefSeq Size: 1900 bp RefSeq ORF: 1116 bp Locus ID: 1240

Q99788 Cytogenetics: 12q23.3

UniProt ID:

Domains: 7tm 1

Protein Families: Druggable Genome, GPCR, Transmembrane

MW: 41.9 kDa

Receptor for the chemoattractant adipokine chemerin/RARRES2 and for the omega-3 fatty **Gene Summary:**


> acid derived molecule resolvin E1. Interaction with RARRES2 induces activation of intracellular signaling molecules, such as SKY, MAPK1/3 (ERK1/2), MAPK14/P38MAPK and PI3K leading to multifunctional effects, like, reduction of immune responses, enhancing of adipogenesis and angionesis. Resolvin E1 down-regulates cytokine production in macrophages by reducing the activation of MAPK1/3 (ERK1/2) and NF-kappa-B. Positively regulates adipogenesis and adipocyte metabolism. Acts as a coreceptor for several SIV strains (SIVMAC316, SIVMAC239,

SIVMACL7E-FR and SIVSM62A), as well as a primary HIV-1 strain (92UG024-2).

[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for RC217247L3