

Product datasheet for RC217259L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

5 Lipoxygenase (ALOX5) (NM 000698) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: 5 Lipoxygenase (ALOX5) (NM_000698) Human Tagged ORF Clone Lentiviral Particle

Symbol: 5 Lipoxygenase

Synonyms: 5-LO; 5-LOX; 5LPG; LOG5

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 000698

ORF Size: 2022 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC217259).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 000698.2

 RefSeq Size:
 2568 bp

 RefSeq ORF:
 2025 bp

 Locus ID:
 240

 UniProt ID:
 P09917

Cytogenetics: 10q11.21

Domains: lipoxygenase, PLAT

Protein Families: Druggable Genome





5 Lipoxygenase (ALOX5) (NM_000698) Human Tagged ORF Clone Lentiviral Particle – RC217259L3V

Protein Pathways: Arachidonic acid metabolism, Metabolic pathways

MW: 77.8 kDa

Gene Summary: This gene encodes a member of the lipoxygenase gene family and plays a dual role in the

synthesis of leukotrienes from arachidonic acid. The encoded protein, which is expressed specifically in bone marrow-derived cells, catalyzes the conversion of arachidonic acid to 5(S)-hydroperoxy-6-trans-8,11,14-cis-eicosatetraenoic acid, and further to the allylic epoxide 5(S)-trans-7,9-trans-11,14-cis-eicosatetrenoic acid (leukotriene A4). Leukotrienes are important mediators of a number of inflammatory and allergic conditions. Mutations in the promoter region of this gene lead to a diminished response to antileukotriene drugs used in the treatment of asthma and may also be associated with atherosclerosis and several cancers. Alternatively spliced transcript variants encoding different isoforms have been found for this

gene. [provided by RefSeq, Jan 2012]