

Product datasheet for RC217269L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

C Reactive Protein (CRP) (NM_000567) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: C Reactive Protein (CRP) (NM 000567) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: C Reactive Protein

Synonyms: PTX1

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC217269).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





st The last codon before the Stop codon of the ORF.

ACCN: NM_000567

ORF Size: 672 bp



C Reactive Protein (CRP) (NM_000567) Human Tagged Lenti ORF Clone - RC217269L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

1q23.2

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 000567.2</u>

 RefSeq Size:
 2024 bp

 RefSeq ORF:
 675 bp

 Locus ID:
 1401

 UniProt ID:
 P02741

Protein Families: Secreted Protein

MW: 25 kDa

Cytogenetics:

Gene Summary: The protein encoded by this gene belongs to the pentraxin family which also includes serum


(SARS‐CoV‐2) infection. [provided by RefSeq, Aug 2020]

activation and amplification via communication with complement initiation pattern recognition molecules, but also complement regulation via recruitment of complement regulators. The encoded protein has a calcium dependent ligand binding domain with a distinctive flattened beta-jellyroll structure. It exists in two forms as either a pentamer in circulation or as a nonsoluble monomer in tissues. It is involved in several host defense related functions based on its ability to recognize foreign pathogens and damaged cells of the host and to initiate their elimination by interacting with humoral and cellular effector systems in the blood. Consequently, the level of this protein in plasma increases greatly during acute phase response to tissue injury, infection, or other inflammatory stimuli. Elevated expression of the encoded protein is associated with severe acute respiratory syndrome coronavirus 2


amyloid P component protein and pentraxin 3. Pentraxins are involved in complement



Product images:



Circular map for RC217269L1



Double digestion of RC217269L1 using Sgfl and Mlul