

Product datasheet for RC217284L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HIF1 beta (ARNT) (NM_178426) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: HIF1 beta (ARNT) (NM_178426) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: HIF1 beta

Synonyms: aryl hydrocarbon receptor nuclear translocator; bHLHe2; dioxin receptor, nuclear

translocator; HIF-1beta; HIF1B; HIF1BETA; hypoxia-inducible factor 1, beta subunit;

OTTHUMP00000032943; TANGO

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


_


Sequence:

The ORF insert of this clone is exactly the same as(RC217284).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_178426



ORIGENE

ORF Size: 984 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 178426.1</u>, <u>NP 848513.1</u>

RefSeq Size: 3563 bp
RefSeq ORF: 986 bp
Locus ID: 405
Cytogenetics: 1q21.3

Protein Families: Druggable Genome, Transcription Factors

Protein Pathways: Pathways in cancer, Renal cell carcinoma

MW: 35.8 kDa

Gene Summary: This gene encodes a protein containing a basic helix-loop-helix domain and two characteristic


PAS domains along with a PAC domain. The encoded protein binds to ligand-bound aryl hydrocarbon receptor and aids in the movement of this complex to the nucleus, where it promotes the expression of genes involved in xenobiotic metabolism. This protein is also a co-factor for transcriptional regulation by hypoxia-inducible factor 1. Chromosomal

translocation of this locus with the ETV6 (ets variant 6) gene on chromosome 12 have been described in leukemias. Alternative splicing results in multiple transcript variants. [provided

by RefSeq, Oct 2013]



Product images:



Circular map for RC217284L3