

## Product datasheet for RC217302L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## HMGA1 (NM\_145904) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** HMGA1 (NM\_145904) Human Tagged ORF Clone Lentiviral Particle

Symbol: HMGA1

Synonyms: AL023995; high mobility group AT-hook 1; high mobility group protein I; HMG-I(Y); HMG-R,

HMGIY, HMGA1A, MGC4242, MGC4854, MGC12816; Hmga1a; Hmga1b; Hmgi; HMGI(Y); Hmgiy;

HMGY; MGC102580

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM 145904

ORF Size: 321 bp

**ORF Nucleotide** 

Sequence:

The ORF insert of this clone is exactly the same as(RC217302).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 145904.1, NP 665911.1

RefSeq Size:1978 bpRefSeq ORF:323 bpLocus ID:3159

Cytogenetics: 6p21.31

Protein Families: Druggable Genome, Stem cell - Pluripotency, Stem cell relevant signaling - JAK/STAT signaling

pathway, Transcription Factors





ORIGENE

**MW:** 11.7 kDa

**Gene Summary:** This gene encodes a chromatin-associated protein involved in the regulation of gene

transcription, integration of retroviruses into chromosomes, and the metastatic progression of cancer cells. The encoded protein preferentially binds to the minor groove of AT-rich regions in double-stranded DNA. Multiple transcript variants encoding different isoforms have been found for this gene. Pseudogenes of this gene have been identified on multiple

chromosomes. [provided by RefSeq, Jan 2016]