

## Product datasheet for RC217360L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CDw75 (ST6GAL1) (NM\_173217) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: CDw75 (ST6GAL1) (NM\_173217) Human Tagged ORF Clone Lentiviral Particle

Symbol: CDw75

Synonyms: SIAT1; ST6Gall; ST6N

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM 173217

ORF Size: 525 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC217360).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 173217.1

 RefSeq Size:
 3746 bp

 RefSeq ORF:
 528 bp

 Locus ID:
 6480

 UniProt ID:
 P15907

 Cytogenetics:
 3q27.3

**Protein Families:** Secreted Protein

**Protein Pathways:** Metabolic pathways, N-Glycan biosynthesis





**MW:** 20.6 kDa

Gene Summary: This gene 6

This gene encodes a member of glycosyltransferase family 29. The encoded protein is a type II membrane protein that catalyzes the transfer of sialic acid from CMP-sialic acid to galactose-containing substrates. The protein, which is normally found in the Golgi but can be proteolytically processed to a soluble form, is involved in the generation of the cell-surface carbohydrate determinants and differentiation antigens HB-6, CD75, and CD76. This gene has been incorrectly referred to as CD75. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2017]