

Product datasheet for **RC217366**

MRPS11 (NM_176805) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: MRPS11 (NM_176805) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: MRPS11
Synonyms: HCC-2; MRP-S11; S11mt
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC217366 representing NM_176805
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATCGAGGCTGTGAGAAACGCGGGTTCGCGGTTCTGCGGTCTGGACTTGGCCCCAGACAGCCGGCAGGG
TCGTGGCCAGAACGCGGCCGGGACCATCTGCACAGGCGCTCGACAGCTCCAAGACGCTGCGGCCAAGCA
GAAAGTTGAACAGAACGCGGCTCCAGCCACACCAAGTTCAGCACACAGATCCAGGTAGTCTCTGCTAGT
AATGAGCCCTTGCTTTGCTTCTGTGGCACAGAGGGATTCGGAATGCCAAGAAGGGCACAGGCATCG
CAGCACAGACAGCAGGCATAGCCGAGCGGCGAGAGCTAAACAAAAGGGCGTGATCCACATCCGAGTTGT
GGTGAAAGGCCTGGGGCCAGGACGCTTGCTGCCATGCACGGACTGATCATGGGGCGCCTGGAAGTGATC
TCAATCACAGACAACACCCCAATCCACACAACGGCTGCCGCCCCAGGAAGGCTCGGAAGCTG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC217366 representing NM_176805
Red=Cloning site Green=Tags(s)

MQAVRNAGSRFLRSWTPQTAGRVVARTPAGTICTGARQLQDAAAKQKVEQNAAPSHTKFKSTQIQVVSAS
NEPLAFASCGTEGFRNAKKGTTGIAAQTAGIAAAARAKQKQVIHIRVVVKGLGPGRLSAMHGLIMGGLEVI
SITDNTPIPHNGCRPRKARKL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/ja1465_a01.zip



Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_176805

ORF Size: 483 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_176805.4](#)

RefSeq Size: 1053 bp


RefSeq ORF: 486 bp

Locus ID: 64963


UniProt ID: [P82912](#)
Cytogenetics: 15q25.3
MW: 16.7 kDa

Gene Summary: Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 28S subunit protein that contains a high level of sequence similarity with ribosomal protein S11P family members. A pseudogene corresponding to this gene is found on chromosome 20. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Apr 2016]

Product images:



Circular map for RC217366



Western blot validation of overexpression lysate (Cat# [LY406128]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC217366 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).