

## Product datasheet for RC217398L1V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## FBXW7 (NM\_033632) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** FBXW7 (NM\_033632) Human Tagged ORF Clone Lentiviral Particle

Symbol: FBXW7

Synonyms: AGO; CDC4; FBW6; FBW7; FBX30; FBXO30; FBXW6; hAgo; hCdc4; SEL-10; SEL10

Mammalian Cell

Selection:

ACCN:

None

**Vector:** pLenti-C-Myc-DDK (PS100064)

NM 033632

Tag: Myc-DDK

ORF Size: 2121 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC217398).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 033632.2

 RefSeq Size:
 3896 bp

 RefSeq ORF:
 2124 bp

 Locus ID:
 55294

 UniProt ID:
 Q969H0

 Cytogenetics:
 4q31.3

**Domains:** WD40, F-box

**Protein Families:** Druggable Genome, Transmembrane







**Protein Pathways:** Ubiquitin mediated proteolysis

**MW:** 79.5 kDa

**Gene Summary:** This gene encodes a member of the F-box protein family which is characterized by an

approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene was previously referred to as FBX30, and belongs to the Fbws class; in addition to an F-box, this protein contains 7 tandem WD40 repeats. This protein binds directly to cyclin E and probably targets cyclin E for ubiquitin-mediated degradation. Mutations in this gene are detected in ovarian and breast cancer cell lines, implicating the gene's potential role in the pathogenesis of human cancers. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2012]